

# DRY FREIGHT

## SIGNATURE VAN

Durable and strong, Supreme's Signature Van Body – available in a variety of sizes – can handle a range of payloads to help you get the job done, no matter what you're hauling. From top to bottom, front to back, inside and out, everything you've demanded in a truck body is here – and then some.



**Appliance  
Delivery**



**Municipalities**



**Package  
Delivery**



**Rental  
Fleets**

## Features

- **Select the best side wall for your business requirements** from 4 side wall options (availability based on size of truck body)
- **Minimize front wall damage** with a durable FiberPanel® PW (FRP) front wall and extruded aluminum front vertical corners
- **Protect rear entry and ease cleaning** with a solid, 10-gauge steel, one-piece molded V-groove threshold
- **Reinforce the rear truck body frame** with durable, top internal steel gussets
- **Enhance impact resistance and durability** with a 12-gauge galvanized-steel perimeter reinforcing rub rail

## Options

- **Save time, money, and maintenance costs** with an aluminum slider ramp (flat floor only) for hand-cart loading and unloading, or add a lift gate for heavier loads
- **Ease loading of bulky or cumbersome cargo** with a large selection of lift gate options (availability based on chassis)
- **Protect your truck body from forklift damage** with a forklift package
- **Enjoy a bright interior work space** by adding natural lighting with a translucent roof
- **Secure your cargo** with several cargo control options to best fit your business application
- **Protect the rear of your truck body from dock damage** with rear floor extension and dock bumpers



## Available Sizes

		Height			
		79"	85"	91"	97"*
96"	Length				
	12'	•	•	•	
	14'	•	•	•	
	16'	•	•	•	•
	18'		•	•	•
	20'		•	•	•
	22'		•	•	•
24'		•	•	•	
102"	18'		•	•	•
	20'		•	•	•
	22'		•	•	•
	24'		•	•	•

- Available sizes limited by chassis type
- Requires approval from chassis OEM

# SIGNATURE VAN CAB CHASSIS

## AVAILABLE SIZES

Width	Length	Height					
		79"	85"	91"	97"	103"	109"
90"	12'	●	●	●			
	14'	●	●	●			
	16'	●	●	●	●		
96"	12'	●	●†	●†			
	14'	●	●†	●†			
	16'	●	●†	●†	●†		
	18'		●	●	●		
	20'		●	●	●	●	
	22'		●	●	●	●	●
	24'		●	●	●	●	●
	26'			●	●	●	●
28'				●	●	●	
102"	18'		●	●	●		
	20'		●	●	●	●	
	22'		●	●	●	●	●
	24'		●	●	●	●	●
	26'			●	●	●	●
28'				●	●	●	

\*FiberPanel® HC side walls are only available in sizes marked  
 † Available sizes limited by chassis type

## FEATURES

<b>Side Walls</b>	<ul style="list-style-type: none"> <li>.040" Smooth aluminum pre-painted white panels                             <ul style="list-style-type: none"> <li>Galvanized-steel Z-wall posts</li> <li>3/8" Plywood sides interior lining</li> </ul> </li> <li>FiberPanel® PW (FRP) white panels</li> <li>FiberPanel® HC white panels</li> <li>6mm SignaturePlate™ pre-painted white panels</li> </ul>
<b>Front</b>	<ul style="list-style-type: none"> <li>FiberPanel® PW (FRP) white front wall</li> <li>Molded-composite corners with radius .063" aluminum mill finish wind deflector</li> <li>Extruded-aluminum radius vertical front corners</li> </ul>
<b>Rear Frame</b>	<ul style="list-style-type: none"> <li>Painted galvanized steel</li> <li>14 ga. Header</li> <li>12 ga. Corner posts</li> <li>10 ga. One-piece V-groove threshold</li> <li>Internal gussets</li> </ul>
<b>Rear Door</b>	<ul style="list-style-type: none"> <li>Premium roll-up with 6" header</li> <li>1/4" Composite with 6" header (standard only with FiberPanel® HC option)</li> <li>Maximum security (MS) lock</li> </ul>
<b>Floor</b>	<ul style="list-style-type: none"> <li>2" x 6" Pine (up to &amp; including 16')</li> <li>1-1/8" Laminated hardwood (over 16')</li> </ul>
<b>Subframe</b>	<ul style="list-style-type: none"> <li>3" Formed "C"-channel cross members on 16" C/L (up to and including 16')</li> <li>3" I-beam cross members on 12" C/L (over 16')</li> <li>4" I-beam longills</li> <li>Full-perimeter steel reinforcing aluminum rub rail</li> <li>Pre-coated understructure</li> </ul>
<b>Roof</b>	<ul style="list-style-type: none"> <li>One-piece .032" aluminum skin</li> <li>Galvanized-steel anti-sag roof bows on 24" C/L</li> </ul>
<b>Interior Lights</b>	<ul style="list-style-type: none"> <li>LED dome light with rear switch – hot wired</li> </ul>
<b>Exterior Lights</b>	<ul style="list-style-type: none"> <li>LED clearance lights</li> <li>Existing chassis taillights</li> </ul>
<b>Bumper</b>	<ul style="list-style-type: none"> <li>Pooched ICC</li> </ul>
<b>Additional Features</b>	<ul style="list-style-type: none"> <li>Two rear grab handles</li> </ul>
<b>Warranty</b>	<ul style="list-style-type: none"> <li>1-year white surface and leaks</li> <li>3-year/36,000-mile limited bulkhead-to-bumper warranty</li> <li>5-year limited structural warranty (roof, wall and floor structure)</li> <li>See our warranty policy for details</li> </ul>

## AVAILABLE OPTIONS

<b>Side Walls</b>	<ul style="list-style-type: none"> <li>Aluminum contoured rubrail (hat section)</li> </ul>
<b>Front</b>	<ul style="list-style-type: none"> <li>Fuel Shark</li> <li>Cab-over attic with composite corner wind deflector</li> <li>Nose Cone</li> </ul>
<b>Lining</b>	<ul style="list-style-type: none"> <li>Standard – 3/8" plywood; full-height side walls*</li> <li>Pacific – Up to 5 rows of apitong slats evenly spaced*</li> <li>Universal – 3/8" plywood (24" from floor and ceiling) with 3 rows of slats evenly spaced*</li> </ul>
<b>Scuff</b>	<ul style="list-style-type: none"> <li>Smooth or corrugated galvanized steel</li> <li>Smooth or corrugated aluminum</li> <li>Solid hardwood</li> <li>Plywood</li> </ul>
<b>Side Door</b>	<ul style="list-style-type: none"> <li>Roll-up*</li> <li>Single-swing*</li> <li>Double-swing*</li> <li>Sliding with pocket*</li> </ul>
<b>Rear Frame</b>	<ul style="list-style-type: none"> <li>Stainless-steel with threshold – painted black</li> </ul>
<b>Rear Door</b>	<ul style="list-style-type: none"> <li>Premium roll-up with 6" header (FiberPanel® HC option)</li> <li>Double-narrow swing*</li> <li>Full-opening swing*</li> <li>Three-panel full-opening swing*</li> <li>Four-panel full-opening swing*</li> </ul>
<b>Steps</b>	<ul style="list-style-type: none"> <li>Stirrup</li> <li>Pull-out RV*</li> <li>Bustin slide-away*</li> <li>Aluminum recessed stepwell*</li> </ul>
<b>Floor</b>	<ul style="list-style-type: none"> <li>1-1/8" Laminated hardwood (required with forklift option)</li> <li>1-3/8" Laminated hardwood*</li> <li>Steel or aluminum tread plate overlay on wood</li> <li>Anti-skid inverted "T"</li> <li>24"-Deep, 1/8" steel treadplate rear threshold plate*</li> <li>Floor extensions</li> <li>Wheel wells*</li> <li>Forklift reinforcement (18' and longer)*</li> </ul>
<b>Roof</b>	<ul style="list-style-type: none"> <li>.060" Translucent</li> </ul>
<b>Ramp</b>	<ul style="list-style-type: none"> <li>Aluminum slider ( 10', 12', 14', 16"*)</li> </ul>
<b>Interior Lights</b>	<ul style="list-style-type: none"> <li>Additional LED dome light</li> </ul>
<b>Cargo Control</b>	<ul style="list-style-type: none"> <li>E-Track</li> <li>E-Straps</li> <li>F-Track*</li> <li>Rope ties*</li> <li>Floor ties</li> <li>Pipe pocket in floor</li> <li>Slats - pine, hardwood</li> </ul>
<b>Interior Shelves</b>	<ul style="list-style-type: none"> <li>Fixed*</li> <li>Adjustable*</li> </ul>
<b>Bumpers</b>	<ul style="list-style-type: none"> <li>Full-width pooched ICC</li> <li>Full-width two-step pooched ICC</li> <li>One-way pooched step</li> <li>Full-width pooched step</li> <li>Chicago-style step</li> <li>Rubber dock</li> </ul>
<b>Accessories</b>	<ul style="list-style-type: none"> <li>Hitch receiver</li> <li>Vents</li> <li>Rear spot-view mirror - stainless steel</li> <li>Back-up camera</li> <li>Back-up alarm</li> <li>Tire chocks</li> <li>Reflector kit</li> <li>Fire extinguisher</li> <li>First aid kit</li> </ul>
<b>Liftgate</b>	<ul style="list-style-type: none"> <li>Contact a Supreme Sales Representative for available options</li> <li>Not to exceed 3,000 lbs. with FiberPanel® HC side wall option</li> </ul>

\*Not available with FiberPanel® HC side walls

Due to Supreme Corporation's commitment to product improvement and quality, specifications and options are subject to change without notice.

# REASONS TO BELIEVE

## The Supreme Difference



### Innovation at the Forefront

Many of our vehicles are made with our own, specialized FiberPanel® material – available with both a plywood inner core (PW (FRP)) or a lightweight, honeycomb core (HC) – in our state-of-the-art Tower Structural Laminating (TSL) facility using an innovative, patented manufacturing process.



### National Presence

Wherever you're located in the U.S., you're always near a Supreme Corporation representative. With seven manufacturing facilities throughout the United States, we can help you find the right truck body to meet your requirements, no matter where you are.



### Warranty Policy

We offer one of the best warranties in the business. Our 1-year limited warranty covers white surface and leaks. Our 3-year/36,000-mile limited bulkhead-to-bumper warranty covers repairs and replacement in the event a part is found to be defective. In addition, a 5-year limited structural warranty (roof, wall, and floor structure) lets you know your Supreme truck body is built to last. For additional information, please review our warranty policy.

