# DRY FREIGHT

# SIGNATURE VAN

Durable and strong, Supreme's Signature Van Body – available in a variety of sizes – can handle a range of payloads to help you get the job done, no matter what you're hauling. From top to bottom, front to back, inside and out, everything you've demanded in a truck body is here – and then some.



(Shown with optional slat interior lining)







**Municipalities** 



Package Delivery



Renta

### **Features**

- Select the best side wall for your business requirements from 4 side wall options (availability based on size of truck body)
- Minimize front wall damage with a durable FiberPanel® PW (FRP) front wall and extruded aluminum front vertical corners
- Protect rear entry and ease cleaning with a solid, 10-gauge steel, one-piece molded V-groove threshold
- Reinforce the rear truck body frame with durable, top internal steel gussets
- Enhance impact resistance and durability with a 12-gauge galvanneal-steel perimeter reinforcing rub rail

# **Options**

- Save time, money, and maintenance costs with an aluminum slider ramp (flat floor only) for hand-cart loading and unloading, or add a lift gate for heavier loads
- Ease loading of bulky or cumbersome cargo with a large selection of lift gate options (availability based on chassis)
- Protect your truck body from forklift damage with a forklift package
- Enjoy a bright interior work space by adding natural lighting with a translucent roof
- Secure your cargo with several cargo control options to best fit your business application
- Protect the rear of your truck body from dock damage with rear floor extension and dock bumpers
- Gain additional storage space with a cab-over attic



<b>Available</b>	Sizes			Hei	ght		
Width	Length	79"	85"	91"	97"	103"	109"
	12'	•	•	•			
90"	14'	•	•	•			
	16'	•	•	•	•		
	12'	•	•	•			
	14'	•	•	•			
	16'	•	•	•	•		
	18'		•	•	•		
96"	20'		•	•	•	•	
	22'		•	•	•	•	•
	24'		•	•	•	•	•
	26'			•	•	•	•
	28'				•	•	•
	18'		•	•	•		
	20'		•	•	•	•	
100"	22'		•	•	•	•	•
102"	24'		•	•	•	•	•
	26'			•	•	•	•
	28'				•	•	•





## **SIGNATURE VAN CAB CHASSIS**

# **AVAILABLE SIZES**



Width	Longth	Height					
Width	Length	79"	85"	91"	97"	103"	109"
90"	12'	•	•	•			
	14'	•	•	•			
	16'	•	•	•	•		
	12'	•	<b>●</b> †	<b>●</b> †			
	14'	•	<b>●</b> †	<b>●</b> †			
	16'	•	<b>●</b> †	<b>●</b> †	<b>●</b> †		
	18'		•	•	•		
96"	20'		•	•	•	•	
	22'		•	•	•	•	•
	24'		•	•	•	•	•
	26'			•	•	•	•
	28'				•	•	•
102"	18'		•	•	•		
	20'		•	•	•	•	
	22'		•	•	•	•	•
	24'		•	•	•	•	•
	26'			•	•	•	•
	28'					•	•

<sup>†</sup>FiberPanel® HC side walls are only available in sizes marked • Available sizes limited by chassis type

#### EATURES



Side Walls	.040" Smooth aluminum pre-painted white panels
Front	FiberPanel® PW (FRP) white front wall     Molded-composite corners with radius .063" aluminum mill finish wind deflector     Extruded-aluminum radius vertical front corners
Rear Frame	<ul> <li>Painted galvannealed steel</li> <li>14 ga. Header</li> <li>12 ga. Corner posts</li> <li>10 ga. One-piece V-groove threshold</li> <li>Internal gussets</li> </ul>
Rear Door	Premium roll-up with 6" header  1/4" Composite with 6" header (standard only with FiberPanel® HC option)  Maximum security (MS) lock
Floor	2" x 6" Pine (up to & including 16')     1-1/8" Laminated hardwood (over 16')
Subframe	3" Formed "C"-channel cross members on 16" C/L (up to and including 16')     3" I-beam cross members on 12" C/L (over 16')     4" I-beam longsills     Full-perimeter steel reinforcing aluminum rub rail     Pre-coated understructure
Roof	One-piece .032" aluminum skin     Galvanized-steel anti-snag roof bows on 24" C/L
Interior Lights	LED dome light with rear switch – hot wired
Exterior Lights	LED clearance lights     Existing chassis taillights
Bumper	Pooched ICC
<b>Additional Features</b>	Two rear grab handles
Warranty	<ul> <li>1-year white surface and leaks</li> <li>3-year/36,000-mile limited bulkhead-to-bumper warranty</li> <li>5-year limited structural warranty (roof, wall and floor structure)</li> </ul>

See our warranty policy for details

AVAILABL	E OPTIONS (C)
Side Walls	Aluminum contoured rubrail (hat section)
Front	<ul> <li>Fuel Shark</li> <li>Cab-over attic with composite corner wind deflector</li> <li>Nose Cone</li> </ul>
Lining	Standard – 3/8" plywood; full-height side walls* Pacific – Up to 5 rows of apitong slats evenly spaced* Universal – 3/8" plywood (24" from floor and ceiling) with 3 rows of slats evenly spaced*
Scuff	Smooth or corrugated galvanized steel     Smooth or corrugated aluminum     Solid hardwood     Plywood
Side Door	<ul> <li>Roll-up*</li> <li>Single-swing*</li> <li>Double-swing*</li> <li>Sliding with pocket*</li> </ul>
Rear Frame	Stainless-steel with threshold – painted black
Rear Door	<ul> <li>Premium roll-up with 6" header (FiberPanel® HC option)</li> <li>Double-narrow swing*</li> <li>Full-opening swing*</li> </ul>

	Aluminum recessed stepwell*
Floor	1-1/8" Laminated hardwood (required with forklift option)     1-3/8" Laminated hardwood*  Charles having a transfer of the country of th
	<ul> <li>Steel or aluminum tread plate overlay on wood</li> </ul>

· Three-panel full-opening swing\* Four-panel full-opening swing\*

· Anti-skid inverted "T" • 24"-Deep, 1/8" steel treadplate rear threshold plate\* Floor extensions

· Wheel wells\* · Forklift reinforcement (18' and longer)\* · .060" Translucent

· Aluminum slider (10', 12', 14', 16'\*) Ramp · Additional LED dome light **Interior Lights** 

• Stirrup

• Pull-out RV\* • Bustin slide-away\*

Steps

Roof

**Interior Shelves** 

Liftgate

• E-Track **Cargo Control** • E-Straps • F-Track\* · Rope ties\* Floor ties

· Pipe pocket in floor Slats - pine, hardwood • Fixed\*

· Adjustable\* Full-width pooched ICC **Bumpers** • Full-width two-step pooched ICC

 One-way pooched step Full-width pooched step · Chicago-style step Rubber dock

· Hitch receiver Accessories Vents

• Rear spot-view mirror - stainless steel · Back-up camera

Contact a Supreme Sales Representative for available options

 Back-up alarm · Tire chocks · Reflector kit

· Fire extinguisher • First aid kit

· Not to exceed 3,000 lbs. with FiberPanel® HC side wall option \*Not available with FiberPanel® HC side walls

Due to Supreme Corporation's commitment to product improvement and quality, specifications and options are subject to change without notice.

supremecorp.com

# REASONS TO BELIEVE

The Supreme Difference



#### Innovation at the Forefront

Many of our vehicles are made with our own, specialized FiberPanel® material – available with both a plywood inner core (PW (FRP)) or a lightweight, honeycomb core (HC) – in our state-of-the-art Tower Structural Laminating (TSL) facility using an innovative, patented manufacturing process.



#### **National Presence**

Wherever you're located in the U.S., you're always near a Supreme Corporation representative. With seven manufacturing facilities throughout the United States, we can help you find the right truck body to meet your requirements, no matter where you are.



#### **Warranty Policy**

We offer one of the best warranties in the business. Our 1-year limited warranty covers white surface and leaks. Our 3-year/36,000-mile limited bulkhead-to-bumper warranty covers repairs and replacement in the event a part is found to be defective. In addition, a 5-year limited structural warranty (roof, wall, and floor structure) lets you know your Supreme truck body is built to last. For additional information, please review our warranty policy.

