



# KNAPHEIDE **STEEL SERVICE BODIES**





### **STANDARD STEEL SERVICE BODIES**

With a rugged steel construction and external storage for your tools and equipment, the Service Body is a key component in your day-to-day productivity.

The external compartments offer protection from outside elements and allow technicians to access their equipment without having to climb into the truck bed.

Staying organized both on and between job sites is important. Get maximum efficiency with a Knapheide Service Body.

### **POPULAR VOCATIONS**



CONSTRUCTION

## SERVICE BODY STEEL SHELL

Rugged two-sided A-40 galvanneal steel body shell with a six year warranty. Complete undercoating provides an additional layer of corrosion protection.



MUNICIPALITIES/ UTILITIES



OIL/MINING/GAS

A. DOUBLE-SHELL, 20-GAUGE, TWO-SIDED A-40 GALVANNEAL STEEL compartment doors

### **B.** ADJUSTABLE SECURITY RING STRIKERS

provide a positive locking engagement of the door resulting in a weather tight seal

### **C. INTERIOR COVER**

protects internal latch from damage

### **D. SLAM-LOCK TAILGATE**

with one-hand center release

### E. UPGRADED SURFACE MOUNT LIGHTING SYSTEM

features LED S/T/T and B/U, LED strobe option\* with (8) selectable patterns, and built-in reflectivity for additional safety\*\*

\*Additional wire harness required for strobe lights \*\*Lights covered by 3-year limited warranty

B

Note: Body may be shown with optional

features.

A

G

S

ш

Ц

 $\supset$ 

 $\vdash$ 

 $\triangleleft$ 

ш

ш

 $\vdash$ 

Z Ш

Σ

н Ч

 $\triangleleft$ 

Δ

Σ

Ο

 $\bigcirc$ 

FEATURES NOT SHOWN

EXCLUSIVE "RETURN FLANGE" FLOOR DESIGN provides support

### QUICK-MOUNT INSTALLATION

allows for fast, safe mounting

**E-COAT PROTECTION** Knapheide Bodies are fully immersed in Knapheide's 12step, electrodeposition prime paint system for superior corrosion resistance.

4



**DOUBLE-SPRING OVER-CENTER RETAINER** on vertical compartment doors eliminate involuntary swing



**NEOPRENE DOOR SEALS** protect compartments from the weather



CONTINUOUS STAINLESS STEEL HINGES are pry-proof and corrosion-resistant



**INTERIOR LIGHT GUARDS** protect recessed lighting and wiring

## STANDARD SHELVING



STREET AND CURB SIDE FRONT VERTICAL COMPARTMENTS Two adjustable divider shelves and

dividers, with a 250-lb. capacity (1st and 2nd vertical 132" bodies only)



STREET AND CURB SIDE FULL HEIGHT REAR VERTICAL COMPARTMENTS

One adjustable divider shelf and dividers, with a 250-lb. capacity



**CURB SIDE HORIZONTAL COMPARTMENT** One adjustable divider shelf and dividers, with a 250-lb. capacity

60" tall bodies include an extra divider shelf in each compartment, including one in the streetside horizontal

## COMPARTMENT CONFIGURATIONS



## **500 SERIES** COMPARTMENTS

The 500 Series Service Bodies feature a horizontal compartment that stretches from the first vertical compartment to the end of the body with a small, rear lower compartment.



### **600 SERIES** COMPARTMENTS

The 600 Series Service Bodies feature a horizontal compartment that is positioned over the wheel well and one vertical compartment in the front of the body and one at the rear of the body.



Flip Tops, denoted by "F", allow for greater internal storage, organization and flexibility. Knapheide Flip Tops have a slammable top lid door and a convenient one-hand release located in the horizontal compartment.





The 700 Series has 500 Series configuration on the curb side and 600 Series on the street side.



## LOW PROFILE BODY

Low Profile Bodies, denoted by "LP", offer greater visibility from the cab while only sacrificing 4" of the body height compared to a standard Service Body.



**RAISED FRONT** COMPARTMENTS

This configuration raises the curb side front vertical compartment to 60" tall, denoted by "60". "60-L" indicates raised front compartment on the street side (left) of the body, and "60-B" indicates raised front compartments on both sides.



**THREE-DRAWER UNIT** 

## **PLUS 50 TRANSVERSE COMPARTMENTS**

Plus 50 models feature a transverse compartment Depending on body model, compartments have either two or three drawers, 59" or 69" long. All in the curb side front vertical extending to the street side compartment back. Plus 50 models have drawers are rated for 250-lb. and have dividers 50% more effective storage capacity. Models are every 4". denoted by "50".





**TWO-DRAWER UNIT** 

## POPULAR OPTIONS

## **BUMPERS**

Knapheide bumpers are constructed with work in mind. With three configurations, we have a bumper for every need. Select bumpers available with KnapLiner coating for additional friction and durability.



**HITCH RECESS BUMPERS** 



**STEP BUMPERS** 



STRAIGHT BUMPERS



## **TELESCOPIC SLIDING ROOF**

Telescopic sliding roofs offer a robust enclosure for the cargo space of your Service Body, allowing you to protect your tools and equipment from theft and weather.

## **CANOPY ROOF**

The canopy roof option allows you to fully enclose your cargo area. Canopy roofs are available in three heights, straight sides, and with stationary or telescopic roofs. Full width roofs are also available. For a tapered-side onepiece body design, take a look at our KUVcc product line.



STRAIGHT SIDES



**TELESCOPIC ROOF** 



SIDE ACCESS DOORS



SIDE LADDER RACKS



**REAR ACCESS DOOR** 

## RACKS

Adding a rack to your Service Body increases your storage space by getting your ladders and other long tools or equipment up and out of the way, making room to haul more items in your cargo area.


NOT PICTURED (APPLIES TO SIDE MOUNT & OVERHEAD LADDER RACKS):

LADDER RACK ROLLERS

LADDER RACK RAILS







## **CRANE REINFORCEMENT KIT**

The crane reinforcement kit option allows you to incorporate a crane up to 4,000 lb. capacity (16,000 ft-lb. max.) onto the rear curb side corner of your body.



UTILITY RACK 1,000 lb. capacity forklift loadable

OVERCAB MATERIAL RACK Kargo Master



SIDE MOUNT LADDER RACK 150 lb. capacity



**OVERHEAD** LADDER RACK 300 lb. capacity

## POPULAR OPTIONS





POWER LOCKS



FRONT STROBE

ALUMINUM

DRAWERS



LED COMPARTMENT LIGHTS



STEEL DRAWERS



**ROCK GUARDS** 



MODULAR CAB GUARD



**REAR ACCESS** DOOR







## **56" CA SINGLE REAR WHEEL**

MODEL	TYPE	HEIGHT	WEIGHT			САВ	WHEELBASE	GVWR <sup>2</sup>
696	Standard	40"	1,048 lb.		2500	Regular	140.5"	10,000 lb.
696LP	Low Profile	36"	993 lb.		2500	Crew	169.5"	10,000 lb.
696F	Flip Top (L)	37.25"	1,125 lb.		3500	Regular	140.5"	10,700/11,500 lb.
696F40	Flip Top (H)	41.25"	1,181 lb.		3500	Crew	169.5"	10,700/11,500 lb.
696D38*	Standard	40"	1,064 lb.					
696D38LP*	Low Profile	36"	1,005 lb.	<ul> <li><sup>1</sup>All can be ordered with the 56 CA Ram mounting design option for a closer fit on Ram 56 CA trucks.</li> <li><sup>2</sup>Chassis 10,000 lb. GVWR and under subject to unloaded vehicle weight limi</li> </ul>				
696D38F*	Flip Top	37.25"	1,142 lb.					
				-				

\*D38 models denote 38" wide floor and 20" deep compartments



MODEL	ТҮРЕ	HEIGHT	WEIGHT		TRUCK <sup>1</sup>	CAB	WHEELBASE	GVWR	
696D54	Standard	40"	1,205 lb.		3500	Crew	169.5"	14,000 lb.	
696D54LP	Low Profile	36"	1,146 lb.		3500	Regular	140.5"	14,000 lb.	
696D54F	Flip Top (L)	37.25"	1,279 lb.	-	<sup>1</sup> All can be ordered v	vith the 56 CA Ram	mounting design opt	ion for a closer cab	
696D54F40	Flip Top (H)	41.25"	1,339 lb.	fit on Ram 56 CA trucks.					
696D5460	Standard	40"	1,272 lb.	•					





FLEX STEPS



**CABLE STEPS** 

PULL-OUT

METER TRAY

WITH HOLES

E-TRACK &

ACCESSORIES

SHELVES



ALUMINUM TREAD PLATE TRIM KITS



MOUNTING KITS FOR REMOVABLE CRANE (SPITZLIFT)



**REAR ACCESS** DOOR WITH FULL-LENGTH SHELF



**GRAB HANDLES** 



**BOTTLE GAS** RETAINER



SINGLE POINT **OR THREE POINT** T-HANDLE



WHEEL CHOCK HOLDER -FENDER SKIRT



CARGO **TIE-DOWNS** 




10



PULL-OUT TRAY





## MODEL OPTIONS





### **56" CA DUAL REAR WHEEL**







11

## MODEL OPTIONS

### **60" CA SINGLE REAR WHEEL**

MODEL	TYPE	HEIGHT	WEIGHT
6108	Standard	40"	1,147 lb.
6108LP	Low Profile	36"	1,094 lb.
6108F	Flip Top (L)	37.25"	1,239 lb.
6108F40	Flip Top (H)	41.25"	1,295 lb.





TRUCK

3500

3500



<sup>2</sup>Chassis 10,000 lb. GVWR and under subject to unloaded vehicle weight limits

САВ

Regular

Crew

## "F" models only

WHEELBASE

143.3"

172.2"


GVWR<sup>2</sup>

10,000/12,000 lb.

10,000/12,000 lb.

### MODEL TYPE HEIGHT WEIGHT 6132D54 40" 1,590 lb. Standard 6132D54LP 36" 1,518 lb. Low Profile 1,710 lb. 6132D54F Flip Top (L) 37.25" 6132D54F40 Flip Top (H) 41.25" 1785 lb. 6132D54H46\* 46" 1,709 lb. Standard 6132D54H60\* 1,986 lb. Standard 60"

\*46" and 60" tall bodies have overlap doors on horizontal compartments



### **60" CA DUAL REAR WHEEL**

- 78.00 -

MODEL	MODEL TYPE		WEIGHT
6108D54	Standard	40"	1,306 lb.
6108D54LP	Low Profile	36"	1,245 lb.
6108D54F	Flip Top (L)	37.25"	1,391 lb.
6108D54F40	Flip Top (H)	41.25"	1,452 lb.
6108-50D54F	Flip Top (L)	37.25"	1,627 lb.
6108-50D54LP	Low Profile	36"	1,485 lb.
6108D54H46*	Standard	46"	1,411 lb.
6108D54H60*	108D54H60* Standard		1,647 lb.

TRUCK	САВ	WHEELBASE	GVWR
3500	Regular	143.5"	13,500/14,000 lb.
3500	Crew	172.4"	13,500/14,000 lb.
4500	Regular	144.6"	15,000/16,500 lb.
4500	Crew	173.5"	15,000/16,500 lb.
5500	Regular	144.6"	18,000/19,500 lb.
5500	Crew	173.5"	18,000/19,500 lb.


САВ


Regular

GVWR

9,350 lb.

\*46" and 60" tall bodies have overlap doors on horizontal compartments






# "F" models only


TRUCK

VF3L02

### 81" CA DUAL REAR WHEEL - RAM PROMASTER


MODEL	TYPE	HEIGHT	WEIGHT
6129-RP	Standard	43"	1,505 lb.






## **108" CA DUAL REAR WHEEL**

MODEL	TYPE	HEIGHT	WEIGHT	-	TRUCK	САВ	WHEELBASE	GVWR
6157D54	Standard	40"	1,920 lb.		4500	Regular	192.5"	18,000/19,500 lb.
					5500	Regular	192.5"	18,000/19,500 lb.




## 84" CA DUAL REAR WHEEL

 TRUCK	САВ	WHEELBASE	GVWR
3500	Regular	167.3"	13,500/14,000 lb.
4500	Regular	168.7"	15,000/16,500 lb.
4500	Crew	197.4"	15,000/16,500 lb.
5500	Regular	168.7"	18,000/19,500 lb.
5500	Crew	197.5"	18,000/19,500 lb.





"F" models only



# COMMITMENT TO CORROSION RESISTANCE

Corrosion won't be a concern when you buy quality Knapheide products. To give you the best corrosion protection, we utilize a state-of-the-art, custom-designed, 12-step, SST cathodic electrodeposition finishing system, called "E-Coat."

It bonds prime paint to steel by an electroplating process to give you a superior coat of primer, resulting in better corrosion protection compared to spraying methods.

This system allows us to create products with the highest level of corrosion resistance available.



FOLLOW US LIKE US TAG US





## SIX YEAR, LIMITED TIME WARRANTY



NO RUST THROUGH



### DOOR HINGES WILL NOT FAIL OR COME OFF BODY



LATCHES AND LOCK CYLINDERS WILL NOT FAIL TO OPERATE



SHELVES WILL NOT BEND UNDER MAX. LOAD OF 250 LBS.

TO LEARN MORE VISIT www.knapheide.com/warranty



# **NEVER SETTLE**

If you are going to be a leader, it takes more than building a high-quality product. It means never being totally satisfied with that product, no matter how high quality it may be. It requires constant vigilance and a willingness to take a chance on something new. And it means exceeding expectations every time. As the industry changes, one thing never will—our commitment to making customers like you as productive and efficient as possible. We know you don't settle, and we don't either. That's why we want you never to settle for anything less than Knapheide on the back of your truck.

### KNAPHEIDE. NEVER SETTLE.



The Knapheide Manufacturing Company 1848 Westphalia Strasse | Quincy, IL 62305 217-222-7131 www.knapheide.com