

KNAPHEIDE KUV BODIES





KNAPHEIDE UTILITY VAN

Working out of a Knapheide KUV keeps you organized and productive. Large perimeter bins are easy to access and keep your parts and tools separated into easy-to-manage spaces.

A spacious cargo storage area with corrugated steel floor for transporting drywall, larger tools, water heater, and oversized items.


3

KUV BODIES

The Knapheide KUV is available in multiple heights and lengths for different applications. It is designed to increase productivity and efficiency through better organization of parts and equipment for specialty contractors, including plumbers, HVACR technicians, electricians, and more.

No more looking for what you need — just grab and go!

POPULAR VOCATIONS



2

A. DOUBLE PANELED DOORS

made of galvanneal steel (14-gauge outer panel, 20-gauge inner panel) are reinforced with internal braces for durability

B. TWO CONDUIT CHUTES

to transport copper pipes, PVC, and conduit

C. AUTOMOTIVE-QUALITY, **ROTARY-STYLE LATCHES**

make opening and closing easy

D. ELECTRODEPOSITION PRIME-PAINT SYSTEM

provides superior corrosion resistance

E. FLAT PANEL SPACE

provides rolling billboard to promote business

F. INTEGRATED LED S/T/T AND **B/U, LED STROBE OPTION***

with (8) selectable patterns and built-in reflectivity for additional safety**

*Additional wire harness required for strobe lights **Covered under 3-year limited warranty



AERODYNAMIC WIND DEFLECTOR

Mounted on body above cab

Standard on DL, DH, and SH models only

CARGO AREA AND CONDUIT CHUTE CAPACITY

10' in 129" bodies 12' in 153" bodies

FEATURES NOT SHOWN

COMPARTMENTS CAN BE LOCKED INDEPENDENTLY

GRAB HANDLE

TWO INTERIOR LED DOME LIGHTS

in cargo area with light switch inside the cargo doors

REFINED ABS PARTITION

is equipped with a sliding cab access door and window. The door's slam latch can be locked from the cab and secured in either an open or closed position



S

Ш

 α

⋖

Ш

ш

Z

Ш

Σ

 α

< Δ

Σ

0

 \bigcirc

DOUBLE-SPRING OVER-CENTER RETAINER

on vertical compartment doors eliminate involuntary swing



NEOPRENE DOOR SEALS

protect compartments from the weather



MASTER LOCKING SYSTEM

for piece of mind — locks down all of the side compartments in one move



CONTINUOUS STAINLESS STEEL HINGES

are pry-proof and corrosion-resistant

STANDARD SHELVING



STREET AND CURB SIDE FRONT **VERTICAL COMPARTMENTS**

Two adjustable divider shelves and dividers, with a 250-lb. capacity



STREET AND CURB SIDE FULL **HEIGHT REAR VERTICAL** COMPARTMENTS

One adjustable divider shelf and dividers, with a 250-lb. capacity



CURB SIDE HORIZONTAL COMPARTMENT

One adjustable divider shelf and dividers, with a 250-lb. capacity

4



POPULAR OPTIONS



POWER LOCKS



CODEABLE PADLOCK



UPPER SIDE GLASS Available for Low and High Roof models. Not available for Ultra-Low models.



POWER LIFTGATE Not available on SRW models



LED COMPARTMENT LIGHTING



MECHANICS VISE **BRACKET** Vise sold separately



REAR VISION CAMERA




ALUMINUM DRAWERS



SORTIMO



PULL OUT



CORNER MOUNTED CARGO **CRANE**



DOOR Available for Low and High Roof models. Not available for Ultra-Low models.

SIDE ACCESS



3 BOW **LADDER RACK**



REAR DOOR WINDOWS



CLASS V RECEIVER HITCH



TRAY



DROP-DOWN LADDER RACK Prime Design

7


MODEL OPTIONS

KUV BODIES


CHASSIS MODEL	WHEELBASE	CHASSIS WEIGHT ¹	BODY MODEL	BULK CARGO AREA	TOTAL STORAGE	COMPARTMENT AREA	BODY WEIGHT	GVWR	PAYLOAD ²
E-350	138"	4,893 lb.	KUV129SU	265 cu. ft.	335 cu. ft.	70 cu. ft.	1,731 lb.	10,050 lb.	3,353 lb.
E-350	138"	4,893 lb.	KUV129SL	318 cu. ft.	388 cu. ft.	70 cu. ft.	1,873 lb.	10,050 lb.	3,211 lb.
E-350	138"	4,893 lb.	KUV129SH	403 cu. ft.	473 cu. ft.	70 cu. ft.	2,053 lb.	10,050 lb.	3,031 lb.
E-350	138"	5,079 lb.	KUV129DL	355 cu. ft.	425 cu. ft.	70 cu. ft.	2,047 lb.	11,500 lb.	4,295 lb.
E-350	138"	5,079 lb.	KUV129D20L	329 cu. ft.	425 cu. ft.	96 cu. ft.	1,973 lb.	11,500 lb.	4,369 lb.
E-350	138"	5,079 lb.	KUV129DH	422 cu. ft.	492 cu. ft.	70 cu. ft.	2,198 lb.	11,500 lb.	4,205 lb.
E-350	138"	5,079 lb.	KUV129D20H	396 cu. ft.	492 cu. ft.	96 cu. ft.	2,222 lb.	11,500 lb.	4,120 lb.
E-450	158"	5,461 lb.	KUV153DL	421 cu. ft.	506 cu. ft.	85 cu. ft.	2,347 lb.	14,000 lb.	6,113 lb.
E-450	158"	5,461 lb.	KUV153D20L	389 cu. ft.	506 cu. ft.	117 cu. ft.	2,382 lb.	14,000 lb.	6,078 lb.
E-450	158"	5,461 lb.	KUV153DH	500 cu. ft.	585 cu. ft.	85 cu. ft.	2,517lb.	14,000 lb.	5,943 lb.
E-450	158"	5,461 lb.	KUV153D20H	468 cu. ft.	585 cu. ft.	117 cu. ft.	2,553 lb.	14,000 lb.	5,907 lb.

 $^{^{1}}$ Chassis weight calculated with 7.3L gas engine. Optional engines and other chassis may affect chassis weight.

KUV129SU / KUV129SL




KUV129SH




...

KUV129DL / KUV129DH



KUV153DL / KUV153DH



² Final payload calculation subject to chassis and body options.

^{*&}quot;S" model denotes single rear wheel with 14.5" deep compartments. ** "D" model denotes dual rear wheel with 14.5" deep compartments.

^{** &}quot;D20" model denotes dual rear wheel with 20" deep compartments.



SIX YEAR, LIMITED TIME WARRANTY



NO RUST THROUGH



DOOR HINGES
WILL NOT FAIL OR
COME OFF BODY



LATCHES AND LOCK CYLINDERS WILL NOT FAIL TO OPERATE



SHELVES WILL NOT BEND UNDER MAX. LOAD OF 250 LBS.

TO LEARN MORE VISIT

www.knapheide.com/warranty



NEVER SETTLE

If you are going to be a leader, it takes more than building a high-quality product. It means never being totally satisfied with that product, no matter how high quality it may be. It requires constant vigilance and a willingness to take a chance on something new. And it means exceeding expectations every time. As the industry changes, one thing never will—our commitment to making customers like you as productive and efficient as possible. We know you don't settle, and we don't either. That's why we want you never to settle for anything less than Knapheide on the back of your truck.

KNAPHEIDE. NEVER SETTLE.



The Knapheide Manufacturing Company 1848 Westphalia Strasse | Quincy, IL 62305 217-222-7131 www.knapheide.com