

# KNAPHEIDE

SINCE 1848



GENERAL MOTORS  
**KUVcc BODIES**

# KNAPHEIDE KUVcc BODIES




## KUVcc BODIES

The style and function of a KUV, designed for a cab chassis: the KUVcc is built to get the job done.

Providing both enclosed cargo and internal compartment storage, the KUVcc gives you the most efficient and secure storage possible.

Get the use of a truck and function of a KUV all-in-one with the KUVcc.



## KNAPHEIDE UTILITY VAN

Working out of a Knapheide KUVcc keeps you organized and productive. Large perimeter bins are easy to access and keep your parts and tools separated into easy-to-manage spaces.

A spacious cargo storage area with corrugated steel floor for transporting drywall, larger tools, water heater, and oversized items.


## POPULAR VOCATIONS



CONSTRUCTION



PLUMBING



ELECTRICAL



HVACR

**A. DOUBLE PANELED DOORS**

made of galvanized steel (14-gauge outer panel, 20-gauge inner panel) are reinforced with internal braces for durability

**B. TWO CONDUIT CHUTES**

to transport copper pipes, PVC, and conduit

**C. AUTOMOTIVE-QUALITY, ROTARY-STYLE LATCHES**

make opening and closing easy

**D. ELECTRODEPOSITION PRIME-PAINT SYSTEM**

provides superior corrosion resistance

**E. FLAT PANEL SPACE**

provides rolling billboard to promote business


**F. INTEGRATED LED S/T/T AND B/U, LED STROBE OPTION\***

with (8) selectable patterns and built-in reflectivity for additional safety\*\*

\*Additional wire harness required for strobe lights  
\*\*Covered under 3-year limited warranty

**G. DOUBLE PANEL REAR CARGO DOORS**

lock and seal into the body frame. These 20-gauge galvanized steel doors have nitrogen gas struts and slam latches.



*Note: Body may be shown with optional features.*

COMPARTMENT FEATURES



**DOUBLE-SPRING OVER-CENTER RETAINER**

on vertical compartment doors eliminate involuntary swing



**NEOPRENE DOOR SEALS**

protect compartments from the weather



**MASTER LOCKING SYSTEM**

for piece of mind — locks down all of the side compartments in one move



**CONTINUOUS STAINLESS STEEL HINGES**

are pry-proof and corrosion-resistant



**CARGO AREA AND CONDUIT CHUTE LENGTH**

- 8' in 96" bodies
- 9' in 108" bodies
- 11' in 132" bodies
- 13' in 157" bodies
- 14' in 169" bodies

FEATURES NOT SHOWN

**COMPARTMENTS CAN BE LOCKED INDEPENDENTLY**  
for maximum security

**TWO INTERIOR LED DOME LIGHTS**  
in cargo area with light switch inside the cargo area

**GRAB HANDLE**  
(rear right)

STANDARD SHELVING



**STREET AND CURB SIDE FRONT VERTICAL COMPARTMENTS**

Two adjustable divider shelves and dividers, with a 250-lb. capacity



**STREET AND CURB SIDE FULL HEIGHT REAR VERTICAL COMPARTMENTS**

One adjustable divider shelf and dividers, with a 250-lb. capacity



**CURB SIDE HORIZONTAL COMPARTMENT**

One adjustable divider shelf and dividers, with a 250-lb. capacity



## POPULAR OPTIONS



### POWER LOCKS

*Not available on upper side doors*



### CODEABLE PADLOCK



### UPPER SIDE GLASS



### REAR VISION CAMERA



### ALUMINUM DRAWERS



### SORTIMO



### REAR DOOR WINDOWS



### CLASS V RECEIVER HITCH



### PULL OUT TRAY



### POWER LIFTGATE

*Not available on SRW models*



### LED COMPARTMENT LIGHTING



### MECHANICS VISE BRACKET

*Vise sold separately*



### CORNER MOUNTED CARGO CRANE




### SIDE ACCESS DOOR



### 3 BOW LADDER RACK



### SIDE MOUNT LADDER RACK



### DROP-DOWN LADDER RACK

*Prime Design*



### AERODYNAMIC WIND DEFLECTOR

## MODEL OPTIONS

### 56" CA SRW

| MODEL     | BODY LENGTH | BODY HEIGHT | BODY WIDTH | COMPARTMENT DEPTH | CLEAR DOOR WIDTH | CLEAR DOOR HEIGHT | INTERIOR CLEAR HEIGHT | BODY WEIGHT |
|-----------|-------------|-------------|------------|-------------------|------------------|-------------------|-----------------------|-------------|
| KC96U1478 | 97.25"      | 62"         | 78"        | 14.5"             | 44.5"            | 38.1"             | 44.5"                 | 1,375 lb.   |
| KC96L1478 | 97.25"      | 68"         | 78"        | 14.5"             | 44.5"            | 41.1"             | 50.5"                 | 1,506 lb.   |
| KC96M1478 | 97.25"      | 78"         | 78"        | 14.5"             | 44.5"            | 50.5"             | 60.5"                 | 1,569 lb.   |

| APPLICABLE CHASSIS | CAB     | WHEELBASE | GVWR              |
|--------------------|---------|-----------|-------------------|
| C/K20903HD         | Regular | 141.5"    | 9,900/11,100 lb.  |
| C/K30903           | Regular | 141.5"    | 10,750/11,800 lb. |
| C/K25053HD         | Double  | 162.5"    | 9,900/11,450 lb.  |
| C/K30953           | Double  | 162.5"    | 11,100/12,150 lb. |
| C/K20943HD         | Crew    | 172"      | 9,900/11,550 lb.  |
| C/K30943           | Crew    | 172"      | 11,150/12,250 lb. |

*Note: Maximum body height KC96L1478 on chassis 10,000 lb. GVWR or less.*

### 56" CA DRW

| MODEL     | BODY LENGTH | BODY HEIGHT | BODY WIDTH | COMPARTMENT DEPTH | CLEAR DOOR WIDTH | CLEAR DOOR HEIGHT | INTERIOR CLEAR HEIGHT | BODY WEIGHT |
|-----------|-------------|-------------|------------|-------------------|------------------|-------------------|-----------------------|-------------|
| KC96U2094 | 97.25"      | 62"         | 94"        | 20"               | 49.5"            | 38.1"             | 44.5"                 | 1,607 lb.   |
| KC96L2094 | 97.25"      | 68"         | 94"        | 20"               | 49.5"            | 41.1"             | 50.5"                 | 1,765 lb.   |
| KC96M2094 | 97.25"      | 78"         | 94"        | 20"               | 49.5"            | 50.5"             | 60.5"                 | 1,838 lb.   |
| KC96H2094 | 97.25"      | 90"         | 94"        | 20"               | 49.5"            | 63.1"             | 72.5"                 | 1,958 lb.   |

| APPLICABLE CHASSIS | CAB     | WHEELBASE | GVWR       |
|--------------------|---------|-----------|------------|
| C/K30903           | Regular | 141.5"    | 14,000 lb. |
| C/K30953           | Double  | 162.5"    | 14,000 lb. |
| C/K30943           | Crew    | 172"      | 14,000 lb. |

# MODEL OPTIONS

## 60" CA DRW (SILVERADO 3500HD)

| MODEL              | BODY LENGTH | BODY HEIGHT | BODY WIDTH | COMPARTMENT DEPTH | CLEAR DOOR WIDTH | CLEAR DOOR HEIGHT | INTERIOR CLEAR HEIGHT | BODY WEIGHT |
|--------------------|-------------|-------------|------------|-------------------|------------------|-------------------|-----------------------|-------------|
| KC108L2089         | 107.25"     | 68"         | 89"        | 20"               | 44.5"            | 41.1"             | 51.1"                 | 1,838 lb.   |
| KC108M2089         | 107.25"     | 78"         | 89"        | 20"               | 44.5"            | 50.5"             | 61.1"                 | 1,921 lb.   |
| KC108H2089         | 107.25"     | 90"         | 89"        | 20"               | 44.5"            | 63.1"             | 73.1"                 | 2,037 lb.   |
| APPLICABLE CHASSIS |             | CAB         |            | WHEELBASE         |                  | GVWR              |                       |             |
| C/K31003           |             | Regular     |            | 146.3"            |                  | 14,000 lb.        |                       |             |
| C/K31043           |             | Crew        |            | 176.8"            |                  | 14,000 lb.        |                       |             |

## 60" CA DRW (SILVERADO 4500HD - 6500HD)

| MODEL              | BODY LENGTH | BODY HEIGHT | BODY WIDTH | COMPARTMENT DEPTH | CLEAR DOOR WIDTH | CLEAR DOOR HEIGHT | INTERIOR CLEAR HEIGHT | BODY WEIGHT |
|--------------------|-------------|-------------|------------|-------------------|------------------|-------------------|-----------------------|-------------|
| KC108L2094         | 107.25"     | 68"         | 94"        | 20"               | 49.5"            | 41.1"             | 50.5"                 | 1,904 lb.   |
| KC108M2094         | 107.25"     | 78"         | 94"        | 20"               | 49.5"            | 50.5"             | 60.5"                 | 1,983 lb.   |
| KC108H2094         | 107.25"     | 90"         | 94"        | 20"               | 49.5"            | 63.1"             | 72.5"                 | 2,102 lb.   |
| APPLICABLE CHASSIS |             | CAB         |            | WHEELBASE         |                  | GVWR              |                       |             |
| C/K56403           |             | Regular     |            | 141"              |                  | 15,000/23,500 lb. |                       |             |
| C/K56043           |             | Crew        |            | 175"              |                  | 15,000/23,500 lb. |                       |             |

## 84" CA DRW (SILVERADO 3500HD)

| MODEL              | BODY LENGTH | BODY HEIGHT | BODY WIDTH | COMPARTMENT DEPTH | CLEAR DOOR WIDTH | CLEAR DOOR HEIGHT | INTERIOR CLEAR HEIGHT | BODY WEIGHT |
|--------------------|-------------|-------------|------------|-------------------|------------------|-------------------|-----------------------|-------------|
| KC132L2089         | 133.25"     | 68"         | 89"        | 20"               | 44.5"            | 41.1"             | 51.1"                 | 2,225 lb.   |
| KC132M2089         | 133.25"     | 78"         | 89"        | 20"               | 44.5"            | 50.5"             | 61.1"                 | 2,288 lb.   |
| KC132H2089         | 133.25"     | 90"         | 89"        | 20"               | 44.5"            | 63.1"             | 73.1"                 | 2,436 lb.   |
| APPLICABLE CHASSIS |             | CAB         |            | WHEELBASE         |                  | GVWR              |                       |             |
| C/K31403           |             | Regular     |            | 170.8"            |                  | 14,000 lb.        |                       |             |

## 84" CA DRW (SILVERADO 4500HD - 6500HD)

| MODEL              | BODY LENGTH | BODY HEIGHT | BODY WIDTH | COMPARTMENT DEPTH | CLEAR DOOR WIDTH | CLEAR DOOR HEIGHT | INTERIOR CLEAR HEIGHT | BODY WEIGHT |
|--------------------|-------------|-------------|------------|-------------------|------------------|-------------------|-----------------------|-------------|
| KC132L2094         | 133.25"     | 68"         | 94"        | 20"               | 49.5"            | 41.1"             | 50.5"                 | 2,279 lb.   |
| KC132M2094         | 133.25"     | 78"         | 94"        | 20"               | 49.5"            | 50.5"             | 60.5"                 | 2,357 lb.   |
| KC132H2094         | 133.25"     | 90"         | 94"        | 20"               | 49.5"            | 63.1"             | 72.5"                 | 2,517 lb.   |
| APPLICABLE CHASSIS |             | CAB         |            | WHEELBASE         |                  | GVWR              |                       |             |
| C/K46403           |             | Regular     |            | 165"              |                  | 15,000/23,500 lb. |                       |             |
| C/K56043           |             | Crew        |            | 199"              |                  | 15,000/23,500 lb. |                       |             |

## 108" CA DRW (SILVERADO 4500HD - 6500HD)

| MODEL              | BODY LENGTH | BODY HEIGHT | BODY WIDTH | COMPARTMENT DEPTH | CLEAR DOOR WIDTH | CLEAR DOOR HEIGHT | INTERIOR CLEAR HEIGHT | BODY WEIGHT |
|--------------------|-------------|-------------|------------|-------------------|------------------|-------------------|-----------------------|-------------|
| KC157H2094         | 157.25"     | 90"         | 94"        | 20"               | 49.5"            | 63.1"             | 72.5"                 | 2,962 lb.   |
| APPLICABLE CHASSIS |             | CAB         |            | WHEELBASE         |                  | GVWR              |                       |             |
| C/K56403           |             | Regular     |            | 189"              |                  | 15,000/23,500 lb. |                       |             |

## 120" CA DRW (SILVERADO 4500HD - 6500HD)

| MODEL              | BODY LENGTH | BODY HEIGHT | BODY WIDTH | COMPARTMENT DEPTH | CLEAR DOOR WIDTH | CLEAR DOOR HEIGHT | INTERIOR CLEAR HEIGHT | BODY WEIGHT |
|--------------------|-------------|-------------|------------|-------------------|------------------|-------------------|-----------------------|-------------|
| KC169H2094         | 169.25"     | 90"         | 94"        | 20"               | 49.5"            | 63.1"             | 72.5"                 | 3,213 lb.   |
| APPLICABLE CHASSIS |             | CAB         |            | WHEELBASE         |                  | GVWR              |                       |             |
| C/K56403           |             | Regular     |            | 201"              |                  | 15,000/23,500 lb. |                       |             |
| C/K56043           |             | Crew        |            | 235"              |                  | 15,000/23,500 lb. |                       |             |

## 86.5" CA (LOW CAB FORWARD)

| MODEL              | BODY LENGTH | BODY HEIGHT | BODY WIDTH | COMPARTMENT DEPTH | CLEAR DOOR WIDTH | CLEAR DOOR HEIGHT | INTERIOR CLEAR HEIGHT | BODY WEIGHT |
|--------------------|-------------|-------------|------------|-------------------|------------------|-------------------|-----------------------|-------------|
| KC127M2089         | 127.25"     | 78"         | 89"        | 20"               | 44.5"            | 54.1"             | 63.6"                 | 2,227 lb.   |
| KC127H2089         | 127.25"     | 90"         | 89"        | 20"               | 44.5"            | 64.8"             | 75.5"                 | 2,364 lb.   |
| APPLICABLE CHASSIS |             | CAB         |            | WHEELBASE         |                  | GVWR              |                       |             |
| CP11003            |             | Regular     |            | 109"              |                  | 12,000 lb.        |                       |             |
| CP31001            |             | Regular     |            | 109"              |                  | 14,500 lb.        |                       |             |
| CP13043            |             | Crew        |            | 150"              |                  | 12,000 lb.        |                       |             |
| CP33043            |             | Crew        |            | 150"              |                  | 14,500 lb.        |                       |             |

Note: Gas chassis with rear tank only. Diesel chassis require quoted body.

## 110" CA (LOW CAB FORWARD)

| MODEL              | BODY LENGTH | BODY HEIGHT | BODY WIDTH | COMPARTMENT DEPTH | CLEAR DOOR WIDTH | CLEAR DOOR HEIGHT | INTERIOR CLEAR HEIGHT | BODY WEIGHT |
|--------------------|-------------|-------------|------------|-------------------|------------------|-------------------|-----------------------|-------------|
| KC151M2089         | 151.25"     | 78"         | 89"        | 20"               | 44.5"            | 54.1"             | 63.5"                 | 2,608 lb.   |
| KC151H2089         | 151.25"     | 90"         | 89"        | 20"               | 44.5"            | 64.8"             | 75.5"                 | 2,745 lb.   |
| APPLICABLE CHASSIS |             | CAB         |            | WHEELBASE         |                  | GVWR              |                       |             |
| CP12003            |             | Regular     |            | 132.5"            |                  | 12,000 lb.        |                       |             |
| CP32003            |             | Regular     |            | 132.5"            |                  | 14,500 lb.        |                       |             |
| CP14043            |             | Crew        |            | 176"              |                  | 12,000 lb.        |                       |             |
| CP34043            |             | Crew        |            | 176"              |                  | 14,500 lb.        |                       |             |

Note: Gas chassis with rear tank only. Diesel chassis require quoted body.

# COMMITMENT TO CORROSION RESISTANCE

Corrosion won't be a concern when you buy quality Knapheide products. To give you the best corrosion protection, we utilize a state-of-the-art, custom-designed, 12-step, SST cathodic electrodeposition finishing system, called "E-Coat."

It bonds prime paint to steel by an electroplating process to give you a superior coat of primer, resulting in better corrosion protection compared to spraying methods.

This system allows us to create products with the highest level of corrosion resistance available.



FOLLOW US  
LIKE US  
TAG US



## SIX YEAR, LIMITED TIME WARRANTY



**NO RUST  
THROUGH**



**DOOR HINGES  
WILL NOT FAIL OR  
COME OFF BODY**



**LATCHES AND LOCK  
CYLINDERS WILL NOT  
FAIL TO OPERATE**



**SHELVES WILL NOT  
BEND UNDER MAX.  
LOAD OF 250 LBS.**

TO LEARN MORE VISIT  
[www.knapheide.com/warranty](http://www.knapheide.com/warranty)



## NEVER SETTLE

If you are going to be a leader, it takes more than building a high-quality product. It means never being totally satisfied with that product, no matter how high quality it may be. It requires constant vigilance and a willingness to take a chance on something new. And it means exceeding expectations every time. As the industry changes, one thing never will—our commitment to making customers like you as productive and efficient as possible. We know you don't settle, and we don't either. That's why we want you never to settle for anything less than Knapheide on the back of your truck.

**KNAPHEIDE. NEVER SETTLE.**



The Knapheide Manufacturing Company  
1848 Westphalia Strasse | Quincy, IL 62305  
217-222-7131  
[www.knapheide.com](http://www.knapheide.com)