

MECHANIC SERVICE BODY

CLASSIC II[™] STEEL HEAVY-DUTY SERVICE BODY

STEEL | ALUMINUM

CLASSIC II[™] SERVICE BODY

SL SERVICE BODY







SL STEEL

Our SL service body offers an economical alternative that features a premium A60 galvannealed steel construction with E-coat primer and powder coat finish as standard equipment. If you demand a steel service body built for the long haul, the SL delivers with heavy-duty compartment doors, stainless steel bolt-on hinges and our Dual-Pro® seal system. This is what toughness really looks like.

CLASSIC II[™] STEEL

The Classic II[™] steel service body is built with premium A60 coating-weight steel construction. Our exclusive E-coat primer and powder coat finish offer superior corrosion resistance and long life. Our signature pressed tread plate surface on the load floor and inner tailgate surface provide all the strength and durability you need. Our hidden hinge system is fully adjustable and theft-resistant while our premium Dual-Pro seal system offers expanded door clearances and superior weather protection.

Our Aluminum Classic II[™] service body offers weather-tight storage and customizable options with the lightweight advantages of all-aluminum construction. Aluminum resists corrosion, lets you increase available payload and much more. These bodies feature fully adjustable hidden hinges to deter break-ins. A Dual Pro seal system has unmatched weather protection with expanded door clearances. You get long-lasting toughness that saves fuel and money year after year.

When you work in contracting, utilities, HVAC or any other service industry, the trucks you use to store and transport your equipment need to be as efficient and custom upfitted as they are powerful. For upfits on a class 6/7 chassis, you'll need a heavy-duty body. So if you're searching for a service body built to withstand the most challenging tasks and perform in extreme weather conditions, you're covered. We make a full line of service bodies for customers who demand more than the typical utility body.

Vocations like mobile service, oil and gas industries and heavy construction sometimes need all the toughness of a crane body, without the crane. To serve these industries, Reading offers our traditional Mechanic Service Body. With features like workbench bumpers, 60" tall compartments with drawer units, work lights, and air compressor and welders setup, the Reading Mechanic Service Body is the trusted way to build the ultimate mobile workshop.

Service bodies you can count on to work at your best.

We know exactly what you need from a service body to be successful whether you need one truck or have a fleet of them.

That's why our bodies are made with time-tested, field-proven durability to tackle harsh environments and tough jobsites. They're equipped with features for working safely in all conditions. They're built with pride and craftsmanship to keep you going for the long haul.

It makes us the service body of choice for hundreds of thousands of people across the country and why companies of all sizes in so many industries turn to us to help them work better than ever. It's why our service bodies are synonymous with the highest quality materials and buying one tells the world you're a true professional.

It's why we're the only service body you'll ever need.










CLASSIC II[™] ALUMINUM

CLASSIC II[™] STEEL HEAVY-DUTY

MECHANIC





IS STEEL RIGHT FOR YOU? OR ALUMINUM? IT DEPENDS.

Choose our award-winning, lightweight aluminum body to help save fuel, save money and increase your payloads all while carrying the industry's best warranties. Or choose our A60 coating-weight galvannealed steel bodies with acrylic E-coat primer and powder coat finish.

Which one works best depends on your job, industry, geography, weather conditions and your specific needs.

STEEL

Sometimes you just need the strength of steel when you are hauling heavy material or equipment in harsh environments.

The strength and resistant properties of steel make it one of the most durable industrial materials. Our premium A60 coatingweight steel and our exclusive triple protection E-coat primer and powder coat finish help to resist corrosion. A steel service body is built for a more demanding environment, like mining, oil and gas, maintenance and rail industries.

ALUMINUM

Over 40 years ago, we were the first manufacturer to produce an aluminum service body. Today, we're a premier manufacturer of aluminum truck bodies in North America.

Aluminum's lightweight properties make it easier on your truck's drive train, which could help lead to a longer life for your truck. While a service body that's lighter on the road can lead to reduced fuel costs, it also allows you to increase your payload, both of which can save you money. And, with aluminum being naturally corrosion-resistant, our E-coat primer and durable powder coat finish makes it capable of withstanding years of heavy use — all around better for the environment.

STANDARD FEATURES **STEEL BODY**



STANDARD FEATURES STEEL BODY

FEATURES APPLY TO SL, CLASSIC II AND HEAVY-DUTY STEEL SERVICE BODIES UNLESS OTHERWISE NOTED.

GAS STRUT DOOR HOLDERS

Nitrogen gas door struts control opening and closing of all vertical compartment doors. (Standard on Classic II only)

2 HIDDEN HINGES

Hidden hinges deter forced entry and protect against corrosion without needing frequent lubrication or maintenance. The hinges are fully adjustable and can be replaced without damaging the body or door.

3 BUMPERS

Bumpers provide improved traction and give you sure-footed access to the cargo area. Bumpers are galvannealed steel for exceptional corrosion resistance and come straight or with a center recess for easy access to the trailer hitch.

4 LED LIGHTS

LED combination lights last longer, stay cooler and glow brighter. They're water-resistant with automotive-grade sealed connectors.

DUAL-PRO[®] SEAL SYSTEM

Get twice the defense against weather. Our premium Dual-Pro[®] door seal system combines automotive quality weatherstripping with mechanical seals. Our design increases clear door openings in every compartment.

6 E-COAT PRIMER AND **POWDER COAT FINISH**

Our E-coat primer and powder coat finish protect the body from corrosion, chemicals, humidity, scratches, chips and impact for longer life.

SLAM-ACTION TAILGATE

The pickup style slam-action tailgate features stainless steel knee braces, locking rods, hinge rods and striker channels. The knee braces are removable and protect against rust and corrosion while allowing the tailgate to swing down completely. Our 14" tailgate, equipped with treadplate, provides a larger surface area for better stability and traction.

B HEAVY-DUTY DOORS

Heavy-duty compartment doors feature double-paneled construction with internal reinforcement and heavy gauge steel panels to handle the roughest jobsites.

ROTARY LOCKS AND **PADDLE HANDLES**

Our stainless steel rotary locks and paddle handles have a clean, smooth look that's both professional and functional. They feature a double-bitted, locking cylinder, adjustable striker pins and an O-ring seal to stop water intrusion.

10 SEAMLESS WHEELHOUSE PANELS

Seamless wheelhouse panels keep dirt, grime and moisture from collecting to minimize corrosion and extend the life of vour truck.

11 GALVANIZED SHELVES

Galvanized shelves feature 2" dividers for custom and convenient small-item storage.

ALUMA-FILL® FUEL RECEPTACLE

Our Aluma-Fill[®] fuel receptacle protects the body and finish from accidental nicks and scratches from fuel nozzles. It is more durable than plastic brackets.

INCLUDED ONLY ON SL:

BOLT-ON HINGES

Stainless steel bolt-on hinges are protected from the elements with a fully concealed pin and marine-grade stainless steel bearings to ensure smooth, reliable operation.



SPRING-LOADED DOOR HOLDER



The spring-loaded door holder is on all vertical doors. It gives you easy access to your tools and gear by holding the door open in a 90-degree position. The hasp is removable when you need to have an extra-wide opening.

STANDARD FEATURES **ALUMINUM BODY**



STANDARD FEATURES ALUMINUM BODY

FEATURES APPLY TO ONLY CLASSIC II ALUMINUM SERVICE BODIES.

1 HIDDEN HINGES

Hidden hinges deter forced entry and protect against corrosion without needing frequent lubrication or maintenance. The hinges are fully adjustable and can be replaced without damaging the body or door.

LED LIGHTS

LED combination lights last longer, stay cooler and glow brighter. They're water-resistant with automotive-grade sealed connectors.

OUAL-PRO SEAL SYSTEM

Get twice the defense against weather. Our premium Dual-Pro door seal system combines automotive quality weatherstripping with mechanical seals. Our design increases clear door openings in every compartment.

E-COAT PRIMER AND **POWDER COAT FINISH**

Our E-coat primer and powder coat finish protect the body from corrosion, chemicals, humidity, scratches, chips and impact for long life.



5 SLAM-ACTION TAILGATE

The pickup style slam-action tailgate features stainless steel knee braces, locking rods, hinge rods and striker channels. The knee braces are removable and protect against rust and corrosion while allowing the tailgate to swing down completely. Our 14" tailgate, equipped with treadplate, provides a larger surface area for better stability and traction.

GAS STRUT DOOR HOLDERS

Nitrogen gas door struts control opening and closing of all vertical compartment doors.

HEAVY-DUTY DOORS

Heavy-duty compartment doors feature double-paneled construction with internal reinforcement and heavy gauge aluminum panels.

ROTARY LOCKS

Rust-resistant stainless steel rotary locks boast an attractive appearance with no exposed fasteners. They feature a doublebitted, high-quality locking cylinder, adjustable striker pins and an O-ring seal to prevent water intrusion.

SEAMLESS WHEELHOUSE PANELS

Seamless wheelhouse panels keep dirt, grime and moisture from collecting to minimize corrosion and extend the life of your truck.

10 ALUMA-FILL FUEL RECEPTACLE

Our Aluma-Fill fuel receptacle protects the body and finish from accidental nicks and scratches from fuel nozzles. It is more durable than plastic brackets.

GALVANIZED SHELVES

Galvanized shelves are designed with 2" dividers for custom and convenient small item storage. Full access between the horizontal and rear vertical makes it easy to store longer tools.



POPULAR OPTIONS

SPACEMAKER® BODY

Spacemaker[®] bodies offer top-opening compartments with fifteen percent more storage space. Lids are reinforced and equipped with two nitrogen gas props for easy opening and closing. Rotary catches with a push-button release allow easy one-handed closure from either end. Available in powder coated or bright aluminum treadplate.



LATCH-MATIC® SECURITY SYSTEM

Our Latch-Matic[®] system can be controlled with your existing OEM key fob remote and chassis power-door locks. When the Latch-Matic system is integrated into the chassis, the driver's



key fob and door lock switches will lock and unlock the service body and the chassis doors. The system has proven, automotivequality components and key fob transmitters designed for convenience that keep your tools safe and secure. Available on most Ford, RAM and GM chassis.



LED COMPARTMENT LIGHTING

Strip lighting and dome lights work together with the Latch-Matic system, activating lights when compartment doors are locked and unlocked so you and your crew can work safely and productively when daylight disappears. Programmed to shut off after ten minutes. (Classic II only)

OVERHEAD LADDER RACK

Lets you store ladders securely and out of the way on the top of your service body.

MASTER-LOCKING STEEL SLIDE BAR



Protect your valuables with the snap of a single handle and padlock. Our masterlocking steel slide bar simultaneously locks an entire compartment side to keep your tools and gear secure.

SPRAY-ON BEDLINER

Get watertight and airtight bed protection. Our factory-installed bedliner resists rust, corrosion and surface abrasion while giving you a safer, slip-resistant surface.

STAINLESS STEEL T-HANDLE LOCKS

If you need a higher level of security, compartment doors can be upgraded to three-point locking with T-handles that provide extra resistance to prying and tampering.

RETRACTABLE UTILITY BED COVER (RUBC)

Our RUBC protects the cargo area from weather and keeps valuables secure. It's available as a manual spring action cover or with an electric motor operated by a manual switch or an optional hands-free remote. (Sold separately)

STEEL SLIDING TOP

Our steel sliding top is another smart way to secure items placed in the truck body center deck. It slides on full-length galvannealed steel tracks for easy opening and closing while a two-point positive action stainless steel T-handle lock secures your tools and gear.



Popular options are available on all models unless otherwise noted.





82" SERVICE BODY

• The 82" service body is designed to fit on short bed pickups (40-42" CA). with Aftermarket Box Removal (AMBR) by your Reading upfitter.

13" D

13" D

13" D

WIDTH 77.5

ALUMINUM 472

13" D

13" D

• The 82" body is limited to Ford and GM chassis only.

HEIGHT 40

STEEL 919

Available for single-wheel (SW) chassis only.

17" W x 40" H

42" W x 18.50" H

23" W x 40" H

17" W x 35" H

42" W x 13.50" H

COMPARTMENT SIZES

V1

н

VR

V1

н

LENGTH 82


TYP. WEIGHT

COMPARTMENT SIZES

Available in: CLASSIC II STEEL CLASSIC II ALUMINUM


FOR 40-42" CA SHORT BED PICKUP

STANDARD 40" BODY




CURBSIDE VIEW


LOW PROFILE BODY



40" BODY WITH SPACEMAKER TOP



B-COMPARTMENT LAYOUT



CURBSIDE VIEW

	VR	23" W x 35" H		13" D		
LENGTH 82		HEIGHT 35		١	WIDTH 77.5	
	TYP. WEIGHT		STEEL 919		AL	UMINUM 472
	COMPARTI	IENT SIZES				
	V1	17" W x 3	7"H	13" D		

V1	17" W x 37" H	13" D
н	42" W x 13.50" H	13" D
VR	23" W x 37" H	13" D
SP	72" W x 4.5" H	9.6" D

STEEL 1,084 ALUMINUM 574 TYP. WEIGHT

Spacemaker top-opening compartment provides 15% more storage space. Lid is offered in your choice of steel (powder coated) or bright aluminum finish.


COMPARTMENT SIZES								
V1	17" '	W x 40" H		13" D				
н	65" W	′ x 18.50" H	13" D					
VR	23" W	/ x 21.50" H	13" D					
LENGTH 82		HEIGHT	40	WIDTH 7	7.5			
TYP. WEIG	GHT	STEEL 9	69	ALUMINU	VI 522			
Reading Truc	k offers	B-compartme	ent layou	ut with an exte	ended			

horizontal compartment for storing longer items.













CURBSIDE VIEW


LOW PROFILE BODY



40" BODY WITH SPACEMAKER TOP



B-COMPARTMENT LAYOUT



Rea

12 readingtruck.com



- The 98" service body is designed to fit on long bed pickups (56" CA) with single rear wheels.
- This body is compatible with Factory Box Delete chassis and Aftermarket Box Removal (AMBR).
- Available for single-wheel (SW) and dual-wheel (DW) chassis.

Available in: SL SERIES CLASSIC II STEEL CLASSIC II ALUMINUM

COMPARTMENT SIZES (SW/DW)

V1	V1 28" W x 40" H)	
н	47" W x 1	8.50" H	13"/20" [)	
VR	VR 23" W x 40" H		13"/20" [C	
LENGTH 98		HE	IGHT 40	WID	TH 77.5 / 91.5
TYP. WEIGHT		STEEL	999/1,114	ALUN	1INUM 607/691

COMPARTMENT SIZES (SW/DW)

V1	28" W x 35" H	13"/20" D
Н	47" W x 13.50" H	13"/20" D
VR	23" W x 35" H	13"/20" D

LENGTH 98	HEIGHT 35	WIDTH 77.5 / 91.5	
TYP. WEIGHT	STEEL 996/1,114	ALUMINUM 607/691	

COMPARTMENT SIZES (SW/DW)

V1	28" W x 37" H	13"/20" D
Н	47" W x 13.50" H	13"/20" D
VR	23" W x 37" H	13"/20" D
SP	88" W x 4.5" H	9.6"/14.5" D

WIDTH 77.5 / 91.5

LENGTH 98 TYP. WEIGHT

HEIGHT 40 STEEL 1,182/1,336

ALUMINUM 657/741

Spacemaker top-opening compartment provides 15% more storage space. Lid is offered in your choice of steel (powder coated) or bright aluminum finish.

COMPARTMENT SIZES (SW/DW)

V1	28" W x 40" H	13"/20" D
Н	70" W x 18.50" H	13"/20" D
VR	23" W x 21.50" H	13"/20" D

LENGTH 98	HEIGHT 40	WIDTH 77.5 / 91.5				
TYP. WEIGHT	STEEL 1,046/1,164	ALUMINUM 600/672				
ading Truck offers B-compartment layout with an extended						

horizontal compartment for storing longer items.




108" **SERVICE BODY**

- ervice body is designed for 60" CA chassis Class 3-5 <u>-</u> ти 100"
- Ava ole for single-wheel (SW) and dual-wheel (DW) chassis.

STANDARD 40" BODY


SW OR DW CLASS 3-5

FOR 60" CA CHASSIS CABS,




CURBSIDE VIEW


LOW PROFILE BODY



40" BODY WITH SPACEMAKER TOP



B-COMPARTMENT LAYOUT



CURBSIDE VIEW

The TU8" service body is designed for 60" CA chassis, Class 3-5.	
Available for single-wheel (SW) and dual-wheel (DW) chassis	

Available in: SL SERIES CLASSIC II STEEL CLASSIC II ALUMINUM

COMPARTMENT SIZES (SW/DW)

		, ,			
V1	33" W x 40" H		13"/20" D		
н	47" W x 18.50" H		13"/20" D		
VR	28" W x 40" H		13"/20" D		
LENGTH 108		HEIGHT 40		WIDTH	77.5/91.5
TYP. WEIGHT		STEEL 1,	108/1,200	ALUMIN	UM 608/680

COMPARTMENT SIZES (SW/DW)

V1	33" W	x 35" H	13"/20)" D				
н	47" W x 13.50" H		13"/20" D					
VR	28" W x 35" H		13"/20" D					
LENGTH 108		HEIG	HT 35	WIDTH	77.5/91.5			
TYP. WEIGHT		STEEL 1,	108/1,200	ALUMIN	UM 608/680			

COMPARTMENT SIZES (SW/DW) 13"/20" D V1 33" W x 38.5" H н 47" W x 14.75" H 13"/20" D 13"/20" D VR 28" W x 38.5" H SP 9.6"/14.5" D 96" W x 4.5" H LENGTH **108** HEIGHT 41 WIDTH 77.5/91.5

TYP. WEIGHT	STEEL 1,308/1,437	ALUMINUM 721/831					
pacemaker top-opening compartment provides 15% more storage space.							

S Lid is offered in your choice of steel (powder coated) or bright aluminum finish.


$\textbf{COMPARTMENT SIZES}\left(\text{SW/DW}\right)$

V1	33" W :	x 40" H	13"/20)" D	
н	75" W x	18.50" H	13"/20" D		
VR	28" W x 21.50" H		13"/20" D		
LENGT	LENGTH 108 HEIG		iHT 40	WIDTH	77.5/91.5
TYP. WI	EIGHT	STEEL 1,	158/1,251	ALUMIN	UM 658/730
Deading True	k offere D. e.	moortmoot	lovout with o	aavtandad	


Reading Truck offers B-compartment layout with an extended horizontal compartment for storing longer items.




STANDARD 40" BODY




LOW PROFILE BODY



40" BODY WITH SPACEMAKER TOP



B-COMPARTMENT LAYOUT



CURBSIDE VIEW

ALUMINUM 853

Reading Truck offers B-compartment layout with an extended horizontal compartment for storing longer items.

Spacemaker top-opening compartment provides 15% more storage space. Lid is offered in your choice of steel (powder coated) or bright aluminum finish.							
COMPARTMENT SIZES							
V1	36" W x	40" H	20" D				
V1	21" W x	40" H	20" D				
н	75" W x 18.50" H		20" D				
VR	28" W x 2	1.50" H	20" D				
LENGT	H 132 H		HEIGHT 40		WIDTH 91.5		
TYP. WE	EIGHT	ST	EEL 1,502	A	LUMINUM 893		

V1	36" W x 3	8.5" H	20" D		
V2	21" W x 3	8.5" H	20" D		
Н	47" W x 14	4.75" H	20" D		
VR	28" W x 3	8.5" H	20" D		
SP	52" W x 4.	5" H (2)	14.5" D		
LENGT	LENGTH 132 HI		IEIGHT 41		WIDTH 91.5
TYP. WEIGHT		ST	EEL 1,736	A	LUMINUM 997

COMPARTMENT SIZES

TYP. WEIGHT

V1	36" W	x 35" H	20"	D		
V2	21" W :	x 35" H	20"	D		
н	47" W x 13.50" H		20"	D		
VR	28" W x 35" H		20"	D		
LENGT	H 132	HEIG	HT 35	WID	TH 91.5	

STEEL 1,450

LENGT	H 132	HEIG	HT 40		WIDTH
TYP. WI	EIGHT	STEEL	1,502		ALUMIN
COMPART	IENT SIZE	s			
V1	36" W	x 35" H	-	20" D	

COMPARTMENT SIZES							
V1	36" W x 35" H	20" D					
V2	21" W x 35" H	20" D					
н	47" W x 13.50" H	20" D					

COMPARTMENT SIZES

V1 V2

н

VR

LENGT	H 132	HEIG	HT 40		WID	TH 91.5
TYP. WI	EIGHT	STEEL	1,502		ALUM	INUM 893
COMPARTI	IENT SIZES					
V1	36" W x 3	5" H		20" D		

132"				
SERV	CE BOD'			

20" D

20" D

20" D

20" D

• The 132" service body is designed for 84" CA chassis, Class 3-5.

Available for dual-wheel (DW) chassis only.

• An additional front vertical compartment for extra storage space.

36" W x 40" H

21" W x 40" H

47" W x 18.50" H

28" W x 40" H



HEAVY-DUTY BODY

B-LAYOUT

34" W x 43.75" H

73.25" W x 19.25" H

26.25" W x 24.5" H

B-LAYOUT

44" W x 43.75" H

76" W x 19.25" H

26.25" W x 24.5" H

21" D

21" D

21" D

21" D

21" D

21" D

WIDTH 93

WIDTH **93**

• Lengths of 108" to 150", designed for heavy-duty use on Class 6-7 chassis. • Available for dual-wheel (DW) chassis only.

HEIGHT 43.75

STEEL 1,414

HEIGHT 43.75

STEEL 1,761

A-LAYOUT

34" W x 43.75" H

47" W x 19.25" H

26" W x 43.75" H

A-LAYOUT

34" W x 43.75" H

49.25" W x 19.25" H

26.25" W x 43.75" H

V1

н

VR

V1

н


VR

LENGTH 108

TYP. WEIGHT


LENGTH **120**

TYP. WEIGHT




HD 120" BODY FOR 72" CA CHASSIS


FOR CLASS 6–7 CHASSIS




HD 132" BODY FOR 84" CA CHASSIS



HD 150" BODY






	A-LAYOUT		B-LAYOUT		
V1	38.5" W x 43.75" H		30" W x 43.75" H		21" D
V2	17.5" W x 43.75" H		26" W x 43.75" H		21" D
н	49.75" W x 19.25" H		73.25" W x 19.25" H		21" D
VR	26.25" W x 43.75" H		26.75" W x 24.5" H		21" D
LENGT	LENGTH 132 HEIG		GHT 43.75		WIDTH 93
TYP. WEIGHT		STE	EL 2,182		

	A-LAY	OUT	B-LAYO	л	
V1	26" W x 4	3.75" H	34" W x 43.7	'5" H	21" D
V2	24" W x 4	3.75" H	24" W x 43.75" H		21" D
V3	24" W x 43.75" H		24" W x 43.75" H		21" D
н	49.75" W x 19.25" H		73.25" W x 19.25" H		21" D
VR	26.25" W x 43.75" H		26.25" W x 24.5" H		21" D
LENGTH 150		HEIG	GHT 43.75		WIDTH 93
TYP. WEIGHT		STE	EL 2,536		



FOR CLASS 3–7 CHASSIS


MM100 BODY 9' BODY FOR 60" CA CLASS 3-5 CHASSIS CAB



CURBSIDE VIEW

MM200 BODY


11' BODY FOR 84" CA CLASS 4-5 CHASSIS CAB



*Also available in 60" H for V1 and V2 cabinets. CURBSIDE VIEW


MM200HD BODY

11' BODY FOR 84" CA CLASS 6-7 CHASSIS CAB



MM300HD BODY

14' BODY FOR 120" CA CLASS 6-7 CHASSIS CAB



CURBSIDE VIEW

V1	32	" W x 60" H	2	6" D	
V2	32	" W x 60" H	2	6" D	
V3	29" W x 60" H		2	22" D	
н	50" W x 35" H		2	22" D	
VR	26" W x 60" H		2	22" D	
LENGTH 169 "		HEIGHT 60"		WIDTH 96 "	
TYP. WEIC	GHT	3,927 lb			

COMPARTMENT SIZES

COMPARTMENT SIZES						
C		URBSIDE		ROADSIDE		
V1	32" W x 50" H		2	28.5" W x 50" H	22" D	
V2	25" W x 50" H		2	28.5" W x 50" H	22" D	
н	50" W x 25" H			50" W x 25" H	22" D	
VR	26" W x 50" H			26" W x 50" H	22" D	
LENGTH 133"		HEIGHT 50"		WIDTH 96"		
TYP. WEIGHT		3,138 lb				

TYP. WEIGHT

COMPARIMENTSIZES						
	CURBSIDE		ROADSIDE			
V1	32.5" W x 46" H		27" W x 46" H		22" D	
V2	25" W x 46" H		30" W	x 46" H	22" D	
н	48" W x 22" H		48" W x 22" H		22" D	
VR	26.5" W x 46" H		26" W	x 46" H	22" D	
LENGTH 131"		HEIGHT 46	۷ V	VIDTH 96"		

2,987 lb

COMPARTMENT SIZES							
		CURBSIDE	ROADSIDE				
	V1	32.5" W x 46" H	27" W x 46" H	22" D			
	V2	25" W x 46" H	30" W x 46" H	22" D			
	н	48" W x 22" H	48" W x 22" H	22" D			

COMPARTMENT SIZES

34" W x 42" H

48" W x 22" H

26" W x 42" H

HEIGHT 42"

1,752 lb

V1

н

VR

LENGTH 108"

TYP. WEIGHT

• Offers the ultimate toughness of a Mechanic's body design for non-crane applications. • Available 60" compartments and tool-drawer units deliver ultimate versatility. Add an air compressor or welder setup to create a true mobile service truck for heavy industry.

MECHANIC SERVICE BODY

22" D

22" D

22" D

WIDTH 96"

READING TRUCK WARRANTY

WARRANTIES AS STRONG AS OUR BODIES.

Your truck is the heart of your business. When it doesn't perform, you can't perform. We back our work truck bodies and installations with some of the strongest, longest warranties in the business. Product registration is fast and easy on our website, readingtruck.com.



MECHANIC SERVICE BODY

SL STEEL SERVICE BODY CLASSIC II STEEL SERVICE BODY CLASSIC II STEEL HEAVY-DUTY SERVICE BODY




CLASSIC II ALUMINUM SERVICE BODY



READING

YEAR

INSTALLATION



NO ONE KNOWS WORK TRUCKS BETTER THAN US.

We are a leading manufacturer and distributor who has been designing and building work truck bodies with outstanding craftsmanship for more than 65 years. You can depend on us for safe, durable truck bodies; expert installation; and all the parts, equipment, accessories and services you need to get the job done.

Our products are available through our extensive national network of distribution partners, or through any of our 20 Reading Truck equipment locations, where you'll find everything you need to outfit a single truck or an entire fleet.

Our success comes from putting you first; understanding what you need to work at your very best and being there for you.



825 E. Wyomissing Blvd. Reading, PA 19611

readingtruck.com

Sold and Serviced Locally by

© 2021 Reading Truck. All rights reserved. Version Number RT21-SB-11

All dimensions subject to plus or minus tolerance of 4" and all dimensions and specifications are subject to change without notice. Some items displayed in photographs are optional. Aluma-Fill, Aluma-Chock, Dual-Pro, Extend-A-Shelf, Latch-Matic, Marauder, Reading, Redi-Dek, Spacemaker, and Tool-Mates are registered trademarks of The Reading Group, LLC, (DBA Reading Truck) in the United States and some foreign countries.