

Building An American Legacy One Truck Body At A Time





40 Years of Innovation, Quality, and Commitment to Excellence

2019 is our 40th year in business. It is hard for us to believe how far we have come and where we are today.

As young men all three Scelzi brothers had a passion for cars and trucks. Mike, Jim, and Gary each spent time in related



industries, but in the end they joined forces at Scelzi Enterprises to design and manufacture the best work truck bodies in the USA.

Mike, the oldest, started by building cars in his garage. At age 20 he was the youngest Mobile Gas Dealer ever, owning the station at the corner of Chestnut and Olive Avenues in Fresno, California. When he was 22 he began making custom wheels, and when he later sold the station he worked for a company that produced

boat and car trailers, grain trailers, transfer dump trucks, flatbeds, and work truck utility bodies. This experience helped shape his future. He also briefly worked for a wholesale plumbing company.

Jim, at age 16, worked with Mike at the Mobile Station. When the station was sold Jim began working as a plasterer until he was about 25, when he became a partner with his father Monroe at the MJ Scelzi and Sons fuel distributorship. He worked part time at Scelzi Enterprises, which had recently been formed. Jim joined his brothers full time at Scelzi Enterprises in 2006.

Gary – the youngest brother – worked at Hallowell Chevrolet while attending high school. Once he graduated he joined his brother Mike at Scelzi Enterprises in 1979. In 1997 he focused on becoming a world-class drag racer, and continued this until his retirement from racing full time in 2008. During that 9 year span, Gary won four National Hot Rod Association (NHRA) World Championships. Although retired as an active racer himself, and fully committed to Scelzi Enterprises, Gary still maintains an interest in watching his two sons Dominic and Giovanni begin their own racing careers as part of the Gary Scelzi Motorsports organization.

Their father Monroe Scelzi always believed his sons should be in business together, so he loaned the brothers \$20,000 so they could open the first Scelzi Enterprises manufacturing facility in 1979, on Thesta Avenue in Fresno. Since then the success of the company has caused them to expand many times, and it presently utilizes more than 300,000 square feet of space, making Scelzi Enterprises the largest Truck and Body manufacturing facility in California.

Today the Scelzi Legacy continues, and our commitment to Quality is stronger than ever. As we fondly look back over the past 40 years, we are extremely grateful to the employees, dealers, and key partners who helped us reach this moment.

Don't Settle For Less Than A Scelzi!

SCELZI ENTERPRISES MISSION STATEMENT

We utilize innovative truck body designs and an uncompromising Commitment to Quality to exceed our customer's expectations — providing value to our owners, our business partners, our team members, and our end users.


Facilities

It started in our garage in Fresno, and then spread to a small building on Thesta Avenue. Today Scelzi Enterprises covers more than 300,000 square feet in California and Colorado.



Our Fresno facilities make Scelzi Enterprises the largest manufacturer of truck bodies on the West Coast. Covering 25 acres in Southwest Fresno and including 300,000 square feet of office and manufacturing space, we employ more than 400 employees of various skills and talents to contribute to the Quality of our organization.





Our Medium Duty Truck Body Facility opened in Fresno in 2017, vastly expanding our manufacturing capacity for larger truck bodies.





We also have locations in Riverside, California (above) and in La Salle, Colorado (below) and partnerships with distributors in Oregon, Washington, and a growing list of other states. Wherever we are and whoever we select as a partner, we make sure the Scelzi Commitment to Quality is embedded deep into every product we manufacture, and in every person we employ.




Scelzi Truck Body Nomenclature




- 80 - 79 - 49 - 38 - VO

	BODY TYPE	OVERALL BODY LENGTH	OVERALL BODY WIDTH	FLOOR WIDTH	COMPARTMENT HEIGHT	COMPARTMENT CONFIGURATION
		T			$\overline{}$	
WCB	Western Crane Body	80"	79"	49"	33"	H - Horizontal Compartments with
CSH	Custom Sport Hauler					Close Tops
CTFB	Contractor Body	98"	94"	54"	38"	V - Vertical Compartments with
SB	Service Body SRW					Close Tops
SBD	Service Body DRW	108"	96"	56"	43"	HO - Horizontal
SEC	Combo Body		° S(CFI 7I		Compartments with Open Tops
SFB	Scelzi Flat Bed	132"	ENT	ERPRISES	60"	VO - Vertical
WFB	Western Flat Bed			IVERSIDE, CA • LA SALLE, CO 800) 858-2883		Compartments with Open Tops
FBC	Flatbed - Custom	156"	MOD. NO.	FBC-7%8.6		/
SBCR	Crown Service Body, SI	RW	SER. NO.	121852480		
SBDCR	Crown Service Body, D	RW	©	(5)	l ,	/
SBDCRH	Crown RV Hauler Body	′				
Com	partment Co	onfigurat	ion			


H - Horizontal Compartments with Close Tops




V - Vertical Compartments with Close Tops



HO - Horizontal Compartments with Open Tops



VO - Vertical Compartments with Open Tops





The World's Best Truck Bodies

	Flatbed/Platform	SCELZI Flatbed WESTERN Flatbed	Page 7
	Landscaper/Gardener	8 x 10, 8 x 12, and 8 x 14 feet long	Page 11
	Cowboy	7 x 8, 8 x 8, and 8 x 9 feet long	Page 12
	Front Range Flatbed	NEW for 2019	Page 13
	RV Hauler		Page 14
	Contractor	7 x 9, 8 x 10, 8 x 12 and 8 x 14 feet long	Page 15
	Super Contractor	8 x 12 foot Contractor Body with extra storage capacity	Page 16
	Combo	9, 10, 12, and 14 feet long	Page 17
	Service	SIGNATURE Service Body CROWN Service Body Service Body Insert	Page 18
0.0	Super Structure	For 8600 GVW and higher	Page 30
	Crane	Western Crane Body 11 feet long	Page 31
o G	Welder		Page 32
6-10	Dump		Page 33
	Chipper	12, 14, and 16 feet long	Page 38
	Water Truck	2000, 2500, and 4000 Gallon Tanks	Page 40
Parts and Accessories	Parts and Accessories		Page 45
SCELZI CLASSICS: Special Order Designs	 A-Frames Contour Body Crane Body 	Page 53	
CUSTOM DESIGNS			Page 55

Why Do Scelzi Truck Bodies Last Longer Than Other Bodies?



More Robust Design










Premium Components









FLATBED Bodies



Scelzi Flatbed bodies are available in several different styles:

- Scelzi Flatbed with an "angled" tail plate and California Dock Bumper in back.
- 2. Western Flatbed with a "squared" ICC Dock Bumper in back.
- 3. Flatbed Dump with hoist
- 4. Custom Flatbed







Flatbed Dump

Custom Flatbed (pg 55)

Common Features and Options

Available for Scelzi and Western Flatbeds

- Underbody Tool Box See table below for options
- Top Mounted Tool Box Close Top Available in 72", 96" and 108" long 18" high - 18" deep
- Top Mounted Tool Box Open Top Available in 48", 72", 96" and 108" long 18" high - 18" deep

Side Racks

- A.J. Bear style tapered polished stainless steel stakes with slats. Available in 12", 15", 18", 24", 36", 42", 48" heights.
- Other combinations of painted steel stakes or plywood, steel or aluminum siding can be ordered.







Scelzi Flatbed Underbody Tool Boxes

LONG	HIGH	DEEP
24"	18"	18"
30"	18"	18"
36"	18"	18"
40" *	18"	18"
48"	18"	18"
60"	18"	18"

^{*} This is a special order item

Scelzi FLATBED



Scelzi style flatbed - with an "angled" tail plate with California Dock Bumper in back.









Photos may contain optional equipment - verify your specifications when you order.

Flooring Choices: Standard flooring options are hardwood, aluminum, or steel (smooth or diamond plate).

Stake Options: Painted steel, stainless steel, hardwood, or none

Side Rack Options: Hardwood, aluminum, or none

Standard Body Lengths and Specifications

BODY TYPE	BED SIZE	TRUCK CA"	REAR WHEEL
SFB-7/8	7x8	56"	Single
SFB-7/9	7x9	60"	Single
SFB-8/8	8x8	56"	Duallie
SFB-8/9	8x9	60"	Dual
SFB-8/10	8x10	60"	Dual
SFB-8/12	8x12	84"	Dual
SFB-8/14	8x14	102"-108"	Dual
SFB-8/16	8x16	120"	Dual
SFB-8/18	8x18	144"	Dual
SFB-8/20	8x20	156"	Dual
SFB-8/22	8x22	168"	Dual
SFB-8/24	8x24	186"	Dual

Standard Features

- Choice of 50-50 or One-Window Headboard
- 1/2" Rope Hooks on each Cross Member
- Tail Plate with California Dock Bumper
- OEM Taillights, Seal Beam Clearance Light
- Stainless Steel Gas Bezel
- Tapered A.J. Bear Style Stake Pockets
- Choice of color Black or White
- LED Clearance Lights Flush Mounted

Optional Features

- Can be manufactured with any of the following:
 - 1-1/8" Hardwood or 7/8" Aluminum Floors 16" Crossmember
 - 12 Gauge Diamond Plate or 10 Gauge Smooth Steel over 7/8" Plywood
 - 3/16" Solid Diamond Plate Bed
 - 3/16" Smooth Steel Available

NOTE: No warranties offered on wood products

Western FLATBED







Western Flatbed

Photos may contain optional equipment - verify your specifications when you order.

Flooring Choices: Standard flooring options are hardwood,

aluminum, or steel (smooth)

Stake Options: Painted steel, stainless steel, hardwood, or none

Side Rack Options: Hardwood, aluminum, or none

Standard Body Lengths and Specifications

BODY TYPE	BED SIZE	TRUCK CA"	REAR WHEEL
W-7/8	7x8	56"	Single
W-7/9	7x9	60"	Single
W-8/8	8x8	56"	Dual
W-8/9	8x9	60"	Dual
W-8/10	8x10	60"	Dual
W-8/12	8x12	84"	Dual
W-8/14	8x14	102"-108"	Dual
W-8/16	8x16	120"	Dual
W-8/18	8x18	144"	Dual
W-8/20	8x20	156"	Dual
W-8/22	8x22	168"	Dual
W-8/24	8x24	186"	Dual

Optional Headboards

- Solid 10 Gauge Steel with 12"x24" Perforated Screen Window -NC
- Solid Smooth Steel with No Window Opening NC

Standard Features

- 50/50 Headboard with 3" Channel Radius Top Perforated Top Smooth Steel Bottom
- 7/8" Aluminum Floors are Optional
- 1/2" Rope Hooks on Each Crossmember
- Crossmember on 16" Centers
- ICC Dock Bumper
- OEM Taillights
- LED Seal Beam Clearance Lights Flush Mounted
- Painted White or Black
- 10 Gauge 6" Formed Rub Rails Front, Side & Rear
- 10 Gauge 4" formed Crossbars
- LED Clearance Lights Flush Mounted

Headboards

- 3" One Piece Contour Channel with 3" uprights and 10 gauge one piece perforated, smooth steel
- The 50-50 or the One-Window are standard. The Two-Window and the "A" Style are two of the many designs that can be ordered



Standard Dody Lengths and Specificati

Available 10', 12', 14' and 16' Long

CHOICE OF DECKING MATERIAL:

- 7/8" Aluminum Decking
- 7/8" or 1-1/8" Wood Decking
- 3/16" Smooth Steel
- 3/16" Diamond Plate
- Cross Member on 12" Centers
- Rope hooks on Each Cross Member
- Head Board 10 Gauge 12" x 24" Window
- ICC Bumper

HOIST:

Scelzi Electronic and PTO Hoists Available

SIDE RACKS:

- A.J. Baer Stainless Stakes with 3/4" Wood Material
- Solid or with a Gap
- 12", 15", 18", 24", 36", 42" or 48" Tall
- 1/2" Plywood Side Racks with Capping, Painted White or Black, 12", 15", 18", 24", 36", 42" or 48" Tall
- Removable Steel A.J. Baer Stakes with 18 Gauge Steel Slats Corrugated Painted White or Black
- 12", 15", 18", 24", 36", 42" or 48" Tall
- Non Removable Steel Side Racks 12" or 24" Tall, 10 or 14 Gauge

BARN DOORS:

- Door Gates with Western Gate Latches for 12" or 24" Tall Doors
- Door Gates with or without Optional Cross Bars 8" Above Door.
- 36", 48" or 60" Tall Doors

BINDER:

- Combo binder
- Recessed Combo Binder
- Sliding binder
- 3/4 Rope Hooks

DUMP BED RECEIVER HITCHES:

- 1,000# Tongue Weight -10,000 Pull Weight - Class 4
- 1,800# Tongue Weight -18,000 Pull Weight - Class 5

HITCHES FOR HEAVIER DUTY TOWING

- Recommended for 550 or Lower
- PH 15 Pintle hitch with 1/2" Buck Plate or A-Frame

Recommended for 650 and Above 580J Premier H.D. Pintle 3/4" with Buck Plate



LANDSCAPER/GARDENER Flatbed Dump Bodies





Standard Body Lengths and Specifications


Series	Bed Size	Side Rack Package Options	
14.4	8 ft x 10 ft	Package A: 42" Solid steel with a HINGED horizontal door 60" wide, OR	
11.2	8 ft x 12 ft	Package B: 42" Solid steel with a front vertical door 48" wide, OR Package C: 42" Solid steel with dual fold down doors	
9.2	8 ft x 14 ft	Special Order: 1/2" Removeable plywood racks with steel stakes, western gate latches (photo below)	

Standard Features

- 10 Gauge Smooth Steel Floor
- Cross Member on 16" Centers
- Rope hooks on Each Cross Member
- Perforated 10 Gauge Head Board with 12" x 24" Window
- Rear Barn Doors
- Optional Side Barn Doors
- 42" Solid Steel side racks hinged to fold out at 21"
- Racks in 5 ft sections One in front, one on driver side, and one curbside (passenger side)
- Class V Receiver hitch
- 7/4 RV plug
- Cargo area
- Covered with Polyurea for added Rust and Corrosion protection



 HOIST: Double Acting Scelzi Hoist. See page 33 for more hoist information



Dimensions shown for 8 ft x 12 ft Body

COWBOY BED Bodies





Photos may contain optional equipment - verify your specifications when you order.

Flooring Choices: Standard flooring options are hardwood or

diamond plate steel

Body Sizes: 7 ft x 8 ft


8 ft x 8 ft, as shown in photos with wood flooring

and 6" fold down side racks

8 ft x 9 ft body is also available



Standard Specifications



FRONT RANGE FLATBED Bodies







Integrated gooseneck hitch with 2-5/16" ball plus side flip lid

Photos may contain optional equipment - verify your specifications when you order.


Flooring/Sides: 1/8" diamond plate steel flooring and sides

Standard Body Lengths and Specifications

Bed SIZE	Cab to Axle (CA)	Rear Wheel	Hitch	Tool Boxes
7 ft x 8.5 ft	56"	Single	Factory hitch and 7 way RV plug	30" Long x 18" High x 12" Deep tool intalled in front of rear wheels
8 ft x 8.5 ft	56"	Dual	Factory hitch and 7 way RV plug	30" Long x 18" High x 18" Deep tool intalled in front of rear wheels
8 ft x 9.5 ft	60"	Dual	Scelzi Class 5 hitch and 7 way RV plug	36" Long x 18" High x 18" Deep tool intalled in front of rear wheels
8 ft x 11.5 ft	84"	Dual	Scelzi Class 5 hitch and 7 way RV plug	48" Long x 18" High x 18" Deep tool intalled in front of rear wheels

Standard Equipment For All Sizes

- 1/8" Diamond Plate Cargo Floor & Sides
- Rear and Front 1/8" smooth steel tail plate w/6" tapered corners @ rear
- Front smooth steel 6" rail
- 4" x1/8" formed cross-members 6" integrated thick
- Longsills AJ Baer tapered stake pockets sides & rear
- Bolt-on tapered head board with LED seal
- Beam lights built into top corners of headboard stop, turn, tail and back-up
- Rear tail apron with custom ICC Dock
- Bumper LED lights stop, turn, tail and back-up
- Camera installation
- All LED marker lights
- Integrated goose neck hitch with 2 5/16 ball recessed in floor with slide flip lid with 7 way RV plug #12707
- 1/2" Rope hook installed
- Black powder coated



RV CROWN HAULER Bodies







Perforated Cab Guard with

Seal Beam Lights

Photos may contain optional equipment - verify your specifications when you order.

Photos: Above LEFT: SBDCRH-108-94-49-33-V in Package "A" configuration with 33" tall front compartments

Above RIGHT: SBDCRH-108-94-49-33-VO in Package "B" configuration with 33" tall front compartments

Standard Body Lengths and Specifications


Body Length: 108 inches


Options

Hitch can be B&W turn over ball 1500R.

Available Models:

VO - Vertical Compartments with open tops. V - Vertical Compartments with close tops.





Model	Hitch Type Configuration	Dimensions	
	A B		В
Α	Recessed Gooseneck, shown above	33	24.2
В	B&W Turn Over Ball 1500R	33	24.2
С	Recessed Gooseneck, shown above	38	29.3
D	B&W Turn Over Ball 1500R	38	29.3

www.seinc.com

CONTRACTOR FLATBED Bodies





Body Dimensions: 8 ft Wide x 12 ft Long (144 inches)

Other Bodies Available:

7 ft Wide X 8.5 ft Long (108 inches) - 56 CA 8 ft Wide X 10 ft Long (120 inches) - 60 CA 8 ft Wide X 14 ft Long (168 inches) - 108 CA

Color: White

Flooring/Rack Choices: Wood floor and fold down side racks

OPTIONAL: Aluminum floor and fold dover side racks

Tool Boxes: 96" x 18" x 18" top mount, open top (2 loxes)

60" x 18" x 18" underbody (2 boxes)

Top Rack: Removeable 3" x 2" x 120" wall with 2" legs and

3" x 2" removeable crossbars

Powder coated

OPTIONAL: Standard or fork lift accessib

material rack


NOTE: No warranties offered on

wood products

15" FOLD DOWN SIDE RACKS SS STAKES



All drawings reflect dimensions for the most popular applications



This photo

shows CTFB-8/10

SUPER CONTRACTOR FLATBED Bodies





8 ft Wide x 12 ft Long (144 inches)

Color: White

Flooring/Rack Choices: Wood floor and fold down side racks

OPTIONAL: Aluminum floor and fold down side

racks

Standard Item In Boxes For This Model Only



15" Fold Down Side Racks With

Tool Boxes:

96" x 30" x 20" top mount, closed top (2 boxes) 96" x 13" x 20" Shovel box - full length opening 60" x 18" x 18" underbody (2 boxes)

Compartments:


Body Dimensions:

Bottom compartments with 1 roller drawer and

1 adjustable shelf on each side


Top Rack:

Removeable 3" x 2" x 120" wall with 2" legs and 3" x 2" removeable crossbars Powder coated OPTIONAL: Standard or fork lift accessible material rack



NOTE: No warranties offered on

wood products



COMBO Service Bodies





Other Lengths Available: 9 ft • 10 ft • 14 ft

Body Dimensions: 144 inches Long (12 ft) x 94 or 96 inches Wide

Other Bodies Available:

SEC-110 9 ft Long - 56-60 CA SEC-120 10 ft Long - 60 CA SEC-168 14 ft Long - 108 CA

Rear Wheel: Dual

Color: White

Side Racks: Steel floor with wood fold down side racks

OPTIONAL: Aluminum fold down side racks

Storage Compartments: Aluminum diamond plate on top


Height: 38 inches high

Top Rack: Powder coated Contractor style ladder rack

Photo shows SEC-110-96-51-38-VDO



Photo shows SEC-120-94-49-38-VDO



Standard Features On All Scelzi Signature Truck Bodies





Doors - double panel door 18 gauge outer, 20 gauge inner laminated together for greater durability "2" style hat section for extra strength. Doors mounted using stainless steel hinge block with nylon insert, stainless steel self sealing mono bolt, and 5/16 stainless steel full length door shaft.

Stainless steel hinge block with nylon insert

Door Seals - Special design contour - Neoprene seal inside the door.

1/8 x 1/2 rubber stops the door from chaffing against the body.



Gas shocks on open top compartments and vertical doors

Tailgate bracket
- 10 gauge

Tailgate - heavy duty self leveling

gauge diamond plate inner panel

> Scelzi Signature Service Body Is Shown



Shelves- 16 gauge galvanized with return flange curl. Shelf brackets are 12 gauge galvanized.

Tail hinges on 5/8" stainless steel Allen Head Shoulder Bolt Seal-beam type tail, with 5/8" Bronze clearance and back-up Bushing. lights.


All bodies equipped with a six-inch step bumper. Powder coated grey.

Superior underbody construction using thicker gauge steel and more cross-members than other truck body builders Three point latching system on all compartment doors.

Shelves are Heavy duty lock-in-place

All vertical compartments have 2 adjustable shelves, horizontal compartments have 1 adjustable shelf

All shelves are adjustable on 2" centers





Additional Signature Body Features:

- Six-point mounting on 8 and 9 foot bodies. Eight point mounting on 11 and 13 foot bodies.
- All beds are caulked with Ultra
 Neoprene sealers, and the underside of the bed and wheel wells are undersealed before the bed is installed
- Multiple coats of primer and urethane paint are added for longest durability

Three-year bulkhead to bumper warranty

Chrome Scelzi T-Bar handle latches with polished rivet-free stainless steel pockets and Galvanneal steel locking rods




All compartment doors equipped with barrel locks


Common Options on Signature Service Bodies





Work Decks


























Bumpers







Other bumper style options available, but not shown

SIGNATURE SERVICE Bodies





Body Dimensions Available: SB-80 80 inches Long x 79 inches Wide 40 CA

SB-98 98 inches Long x 79 inches Wide 56 CA SB-108 108 inches Long x 79 inches Wide 60 CA

Compartment Height: 38 inches high is standard

Options: 33 and 43 inch high compartments are available as a special order.

Rear Wheel: Single

Color: White

Storage Compartments: Aluminum diamond plate on top

See page 27 for tool box configuration options

Optional Top Rack: Powder coated over the cab contour material rack


Style	Orientation	Tops
VO	Vertical	Open
НО	Horizontal	Open
V	Vertical	Closed
Н	Horizontal	Closed




SIGNATURE SERVICE Bodies




SB-80 Most Common Dimensions (SB-80-79-49-38-VO)



SB-98 Most Common Dimensions (SB-98-79-49-38-VO)



SB-108 Most Common Dimensions (SB-108-79-49-38-VO)



SIGNATURE SERVICE Bodies - DUAL





DUAL REAR WHEEL Standard Specifications

Body Dimensions Available: SBD-98 98 inches Long x 96 inches Wide 56 CA SBD-108 108 inches Long x 94 inches Wide 60 CA SBD-132 132 inches Long x 94 inches Wide 84 CA SBD-156 156 inches Long x 94 inches Wide 108 CA

Compartment Height: 38 inches high is standard

Options: 33 and 43 inch high compartments are available as a special order.

Rear Wheel: Dual

Color: White


Storage Compartments: Aluminum diamond plate on top

See page 27 for tool box configuration options

Optional Top Rack: Powder coated over the cab contour material rack

Style	Orientation	Tops
VO	Vertical	Open
НО	Horizontal	Open
V	Vertical	Closed
Н	Horizontal	Closed

SBD-98 Most Common Dimensions (SBD-98-96-51-38-VO)







www.seinc.com

SIGNATURE SERVICE Bodies - DUAL




SBD-108 Most Common Dimensions (SBD-108-94-49-38-VO)









SBD-132 Most Common Dimensions (SBD-132-94-49-38-VO)



SBD-156 Most Common Dimensions (SBD-156-94-49-38-VO)





With optional work desk and "V" Groove

CROWN SERIES SERVICE Bodies





SINGLE REAR WHEEL

Standard Specifications

Body Dimensions Available:

SBCR-98

98 inches Long x 79 inches Wide

56 CA

SBCR-108

108 inches Long x 79 inches Wide

60 CA

Compartment Height:

38 inches high only

Rear Wheel:

Single

Color:

White

Storage Compartments:

Aluminum diamond plate on top


Optional Top Rack:


Powder coated over the cab contour material rack

Style	Orientation	Tops
VO	Vertical	Open
НО	Horizontal	Open
V	Vertical	Closed
Н	Horizontal	Closed

SBCR-98 (SBCR-98-79-49-38-V0)

SBCR-108 (SBCR-108-79-49-38-V0)





CROWN SERIES SERVICE Bodies - DUAL





DUAL REAR WHEEL

Standard Specifications

Body Dimensions Available:

SBDCR-108 108 inches Long x 94 inches Wide

60 CA

SBDCR-132 132 inches Long x 94 inches Wide

84 CA

Compartment Height:

38 inches high only

Rear Wheel:

Dual

Color:

White

Storage Compartments:

Aluminum diamond plate on top (optional)


Optional Top Rack:


Powder coated over the cab contour material rack

Style	Orientation	Tops
VO	Vertical	Open
НО	Horizontal	Open
V	Vertical	Closed
Н	Horizontal	Closed

SBDCR-108 (SBDCR-108-94-49-38-V0)

SBDCR-132 (SBDCR-132-94-49-38-VO)





SIGNATURE SERVICE Body Insert





Body Dimensions: SB-98-79-49-38 Length = 99.5 inches 56 CA SB-108-79-49-38 Length=109.5 inches 60 CA

For All Bodies

44" Wide Inside x 21" Sides x 22" Tail Gate x 21" Bulkhead

12 Ga. Steel Throughout

21" Bulkhead

22" Double Acting Tailgate with formed brace

3 Flange Top Rail

Beveled Floor Corners at sides 4" channel crossmembers

5" Long Sills

Pinned Tailgate Locks

Color: White is standard

Scelzi CS412T-11 electronic over hydraulic single acting hoist

4.1 ton capacity

Full steel sub-frame integrated into service body understructure

Double acting, Power Up/Down

LED Body Raised Warning Light

Inside Cab Control

Dimensions for SB-98-79-49-38-VO 2 CUBIC YARD DUMP INSERT



Style

VO

٧

Orientation


Vertical


Vertical

Tops

Open

Closed






Hoist:

Crane and Signature Service Body Configuration Options

Dimensions shown represent 43" tall body with $22-\frac{1}{2}$ " wide compartments. Optional 20" wide compartments available.




Crane and Signature Service Body Configuration Options

Dimensions shown represent 43" tall body with 22-1/2" wide compartments. Optional 20" wide compartments available. VO STYLE STREET SIDE 34" -24" WITH OPEN TOP V STYLE 34" - 24" WITH **CLOSED TOP** 28³ **Ø** VO STYLE 60"x 34" FRONT COMPARTMENT 60 x 24" SECOND COMPARTMENT AND OPEN TOP V STYLE 60"x 34" FRONT COMPARTMENT 343 **VO STYLE** 60"x 34" FRONT COMPARTMENT, WITH OPEN,TOP V STYLE 51 3' 60" x 34" FRONT COMPARTMENT 51 3° 60 x 24" SECOND COMPARTMENT 34³ 34" WORK DECK 34" WORK WITH UNDERBODY **DECK WITH NO UNDERBODY BOX** $18\frac{3}{8}$ VO STYLE **OPEN TOP** V STYLE **CLOSED TOP** $34\frac{3}{8}$ 1838 $34\frac{3}{8}$

www.seinc.com

Crane and Signature Service Body Configuration Options

Dimensions shown represent 43" tall body with 22-1/2" wide compartments. Optional 20" wide compartments available.



SUPER STRUCTURES





GVW * is Gross Vehicle Weight Rating, also known as Gross Vehicle Mass (GVM). This is the maximum operating weight of a vehicle chassis as specified by the manufacturer.

Body Dimensions: Lengths available in 98, 108, 132 and 156 inches only. Can be ordered with tapered sides.

Scelzi 6" recessed rear bumper and standard service body compartment options (see pages 27-29)

Compartment height options are shown below.

1 front window 12" high X 28" wide. Window Options:


Windows in rear doors 18" X 12" wide


Color: White or black

Body Height	SUPER STRUCTURE HEIGHT			
	24 inches	36 inches	48 inches	
33"	42-3/16"	54-3/16"	66-3/16"	
38"	47-3/16"	59-3/16"	71-3/16"	
43"	52-3/16"	64-3/16"	76-3/16"	
		1.6 .1	a	

Dimensions are measured from the floor to the

inside structure











CRANE BODY - Western





Body Dimensions: 132 inches Long x 96 inches wide, with capacity for 5,000-8000 lb crane.

Color: White

Storage Compartments: Compartment height is 43"

OPTIONS:

60" Tall Oxy-Acetylene Front Compartment (shown in photos above) 24" or 34" Compartment 60" High with 3 Standard Adjustable Shelves

18" to 24" Rear Work Deck – Set up for Outriggers with or without Access Doors

Rear Work Deck with Through Compartment


"Top 5" Only"


Work Deck with "V" Groove


V-Notch Bumper

Style	Orientation	Tops		
VO*	Vertical	Open		
V	Vertical	Closed		
* Only available on non-crane side				

Western Crane Body packages are available







WELDER BODY





Body Dimensions: 108 inches Long x 94 inches wide. Compartment height is 33 inches.

Cusom Order Only: 132 inch Long body, as shown in photo above.

Rear Wheel: Dual

Color: White

Storage Compartments: Tapered Front Compartments and Smooth Steel Floor with a 5" Drop

Oxygen Bottle Holders in Transverse Compartment - Driverside

Acetylene Bottle Holders in Upright Position in Front

Compartment - Driverside

Hose Holder in Front Compartment - Driverside

Oxygen and Acetylene Hose Reel with

Louver in Lower Bottom of Front Compartment - Driverside


Adjustable Shelves in Front Compartment - Curbside

Horizontal Compartment with Dividers

Rear Work Deck with Access Doors and "V" Groove


Perforated Rear Step Bumper


Class 5 Receiver Hitch Without Insert Trailer Plug 7/4 Way OEM Socket



Dimensions shown are for SBD-108-94-49-33-V







All drawings reflect dimensions for the most popular applications.

DUMP BODIES





Hoist Specifications - Smaller Dump Sizes

The Scelzi line of durable, single stage scissor hoists:

- Range in capacity from 11.2 to 22.5 ton
- Fit bodies from 8 to 20 feet long
- Black powder-coated in a durable, rust-resistant finish
- In-Cab Dash-mounted LED "Hoist Up" Safety Light
- Internally/externally accessed Push Button Hoist Up-Down Controller
- Dual, Manual-control Hoist Secure Locking Arms
- Power Take Off (PTO) for most models
- Scelzi CS515T and CS615T-11 are electric/hydraulic
- 3-year Scelzi Warranty

Scelzi Hoists Standard Sizes				
Body	Model	Tons		
12'Chipper	CS615T-11	11.2		
14' Chipper	CS620HD	11.5		
16' Chipper	CS628	15.1		
2-3 Yd Dump	CS615T-11	12.6		
3-4 Yd Dump	CS615T-11	11.2		
5-7 Yd Dump	CS820DA	22.5		
6-8 Yd Dump	CS6620	22.9		
7-9 Yd Dump	CS6620	22.9		
10-12 Yd Dump	820DA	22.5		
8'6" Landscaper	CS615T-11	12.6		
10' Landscaper	CS615T-11	11.2		
12'Landscaper	CS615T-11	11.2		
14' Landscaper	CS615T-11	9.2		
Actual hoist specifications may vary				

Dash-mounted LED
"Hoist Up" Safety Light
and Push Button Hoist
Up-Down Controller









Dual manual-control Hoist Secure Locking Arms

DUMP BODIES





Capacity: Recommended: 14,000 - 19,000 GVW Approx. 2,250 lbs.

Body Dimensions: Traditional rectangular body with cross-members

11'6" Long x 86" Wide Inside x 13" Sides x 20" Tail Gate x 32" Bulkhead

DBS 11-6 Dump body with solid sides is standard

10 Gauge High-Tensile Throughout

3" Cross Bars on 15" Centers x 5" Channel Longs

1/4 Size Cab Shield

Deluxe LED Light Package with Oval Stop and Turn Lights

Mud flaps and brackets

Color: Black or white

Hoist: Scelzi CS615T-11 (Class 40)

11.2 ton capacity with 12" overhang, full steel sub-frame Power up and power down with LED raised up warning light

LED body raised warning light, inside cab control

See pg 33 for more hoist information


Options: Fold Down Sides (DBF 11-6 Option)


Semi automatic pull tarp, black mesh

6" x 3/16" spreader apron Center ditch gate, sliding type 3/16" floor in lieu of 10 gauge

LED lighting







13"

NOTE: 13" DIMENSION IS FROM FLOOR TO TOP OF SIDE RAIL



Capacity: Recommended: 26,000 -33,000 GVW Approx 3,400 lbs.

Body Dimensions: Traditional rectangular body with cross-members

10' Long x 86" Wide Inside x 24" Sides x 32" Tail Gate x 36-40" Bulkhead

10 Gauge High-Tensile Steel Sides and Ends

3/16" High-Tensile Steel Floor with Beveled Side Corners

Sloped Running Boards

6" Channel Longs x 3" Channel Cross Bars on 15" Centers Double Acting Tail Gate (Manual Trip Lever), 6-Panel

1/4 Cab Shield, Full Depth Rear Corner Post

4-Flange Boxed Top Rail, Double

Wall Sides with Center Corrugation, Spreader Apron

Deluxe LED Light Package with Oval Stop and Turn Lights in Rear Corner Post,

Recessed Side Clearance Lights, and Set of Mud Flaps

Color: Black or White

Hoist: Scelzi 820DA with sub-frame (Class 60)

22.5 ton capacity with 12" overhang

Power up and power down with LED raised up warning light

LED body raised warning light, inside cab control

See pg 33 for more hoist information

Options: Ditch Gate in Tailgate

Semi automatic pull tarp, black mesh


3/16" High-Tensile Tailgate Air Operated Tailgate Locks


Air Shift PTO or Hot Shift PTO - for Allison Transmission

580 Premier Pintle Hitch or Plug

Pull Trap, and Toolbox







DUMP BODIES





10-12 Cubic Yards

14 Ft Long

Standard Specifications

Recommended: 33,000 GVW Capacity:

Body Dimensions: Traditional rectangular body with cross-members

10 GA. High-Tensile Steel Throughout 3" Channel Crossbars on 15" Centers

Headboard with Corrugations 10" Higher Than Sides

Manual Tailgate Lever or Air Cylinder Set-Up

(Air Cylinder not Included)

5", 6", or 7" Longsills Tailgate 6" Higher Than Sides **Beveled Floor Corners** Full Depth Rear Corner Posts

Two-Panel Tailgate

Boxed Top Rails and Horizontal Side Braces

Color: Black or White

Scelzi C63120T Hoist:

22.5 ton capacity with 12" overhang

Power up and power down with LED raised up warning light

See pg 33 for hoist details

Options: Air Tailgate Control

Air Dump Control 3/16" Spreader Apron

Ditch Gates

Oval Stop and Turn Lights

Front Corner Post **Nested Crossbars**

Double Wall Sides with Center Horizontal Brace Length of Body


Concave sides **Hoist Stabilizer**

Guards in End Post for Turn Signal Lights Hydraulic Wet Line for Pop Trailer

Electrically Activated PTO for Manual Transmission

Air Pintle Hitch

Semi automatic pull tarp, black mesh (as shown at right)





Varies from 6-18 cubic yards in lengths from 10 to 19 feet long

Body Dimensions: Semi-elliptical curved body design

 $4\times4\times1/4$ Tubing Top Rail Diamond Up Inside Vertical Stiffner 10 Gauge High-Tensile Fenders Starting Approx. 30" from Front Fenders are Full Boxes Closed Bottom Side, 100% Welded

All Heavy Duty Hardware Top & Bottom on Tailgate

3 Panel Tailgate or 6 Panel Tailgate Air Operated Lower Tailgate Locks 1/4 Size Cab Shield or Wing Type 8" x 3/16" Spreader Apron Deluxe Light Kit Oval Stop & Turn

Color: Black or White

Capacity:

Hoist: Model varies by capacity

Power up and power down LED raised up warning light

Options: Air Lift Tailgate Cyl. Inside Rear Post (No Door)

Doors on Rear Corner Post for Air Cyl Access

Ditch Gate Center Trap (Manual or Electric)

Air Hitch 370 Premier and Electric Plug

2 - 22.5 x 8.25 Alcor Uni-Mt F/R Polished 10 Hole Wheels

2 – 255/70 R22.5 Sumitomo S+727 16 Ply Tires Reverse Mounting Model for Clearance on Tanks ECT

Custom Dump Bodies: Other Custom Dump Bodies Available as a Special Order - Contact Us







Dimensions shown are for 16 foot

length body, 14/16 cubic yards

CHIPPER BODIES Optional rear gate, lights, and toolbox custom light packages and toolboxes available Photos may contain optional equipment - verify your specifications when you order. 11.2 ton hoist 12 Foot Chipper and Hoist 84 CA Optional vents are shown Photos may contain optional equipment - verify your specifications when you order. 15.2 ton hoist 14 Foot Chipper and Hoist 120 CA

17.6 ton hoist

16 Foot Chipper and Hoist

138 CA

Photos may contain optional equipment - verify your specifications when you order.

CHIPPER BODIES





Optional lighting and toolbox configurations are available





Chipper and Hoist

Standard Specifications

Body Dimensions Available: 12 ft Long x 88 inches Wide 84 CA 14 ft Long x 88 inches Wide 120 CA

16 ft Long x 88 inches Wide 138 CA


Body Length	12 ft	14 ft	16 ft	
Recommended GVW	19,000	26,000 - 33,000	26,000 - 33,000	
Hoist Capacity	11.2 tons	15.2 tons	17.6 tons	
Cab-to-Axle inch length (CA)	84 CA	120 CA	138 CA	
Outer Body Width	88 inches	88 inches	88 inches	
Inner Body Height	78 inches	84 inches	84 inches	
Body Details:	10 gauge High Tensile floor with beveled side corners and front			
	3 inch channel cross bars on 15 inch centers			
	5 inch channel longs	7 inch channel longs	7 inch channel longs	
	12 gauge front bulkhead with 3 corrugations and tube stiffeners 12 gauge sides and 2 corrugations and vertical posts			
	30 inch rear swing-out double doors with door latch	36 inch rear swing double doors with door latch	36 inch rear swing double doors with door latch	
Hoist:	Scelzi CS615T-11 Electric over hydraulic Underbody Hoist, Class 40*	Scelzi CS 6615 Direct Mount Underbody Hoist, Class 50*	Scelzi CS6620 Direct Mount Underbody Hoist, Class 50*	
	 11.2 ton capacity with 18" overhang, full steel subframe Double acting hoist with Power Up and Power Down PTO with direct mount pump LED raised warning light Inside Cab control 	 15.2 ton capacity with 18" overhang 2" hardwood cushion on truck chassis Hydraulic tank Double acting hoist with Power Up and Power Down PTO with direct mount pump LED raised warning light Inside Cab control 	 17.6 ton capacity with 23" overhang 2" hardwood cushion on truck chassis Hydraulic tank Double acting hoist with Power Up and Power Down PTO with direct mount pump LED raised warning light Inside Cab control 	

^{*}See page 33 for more hoist information





Key Features and Options on Scelzi Water Trucks





Optional 1/4" Thick Belly Steel Overlay

www.seinc.com

Optional LED Enhanced Light Kit







WT-2000

2,000 Gallons

Standard Specifications

Standard

Features:

Chelsea Air Shift PTO

4" x 3" Berkeley water pump (750 GPM)

Spicer PTO Driveline

4" x 4" Water Manifold

3" Standard Air Valves

3" Slip on splash spray heads for front

3" x 53" Front spray bar with mounting brackets

3" Slip on splash spray heads for rear

3" x 53" Rear spray bar with mounting brackets

3" Adjustable driver side spray with VIC clamps

3" Adjustable passenger side spray with VIC clamps One control box inside cab with (6) air switches and

Air control for PTO

1-1/2" Gate valve at manifold

3/4" Gate valve at manifold

4" Water tank mounts with 3/4" bolts

One set of water tank fenders with

hooks for hoses

OEM Tail Stop & turn rear lights

2-1/2" Red marker lights seal beam

2-1/2" Amber marker lights seal beam

36" Rubber mud flaps

24" Stinger at rear with lockable lid

1/2" Sight gauge at rear

Options:

Hot shift PTO for Allison Transmission

Upgrade to CLA – Val Air Valves

1/4" Thick overlay "Belly" at lower level of


standard 3/16" thick tank,

which significantly slows "rot-out" of

bottom of tank

6" Diameter gravity water tank dump valve at

rear bottom of tank with "Fan Nozzle".







WT-2500

2500 Gallons

Standard Specifications

Standard Features:

Chelsea Air Shift or Hot Shift PTO 4" x 3" Berkeley water pump (750 GPM) Spicer PTO Driveline 4" x 4" Water Manifold

One set of water tank fenders with hooks for hoses

4" Water tank mounts with 3/4" bolts

OEM tail stop & turn rear lights

3" Standard Air Valves

3" Slip on splash spray heads for front

3" x 53" Front spray bar with mounting brackets

3" Slip on splash spray heads for rear 3" x 53" Rear spray bar with mounting brackets

3" Adjustable driver side spray with VIC clamps

 $3^{\prime\prime}$ Adjustable passenger side spray with VIC clamps

One control box inside cab with (6) air switches and Air control for PTO

1-1/2" Gate valve at manifold

 $3/4^{\prime\prime}$ Gate valve at manifold

2-1/2" Red marker lights seal beam

2-1/2" Amber market lights seal beam

36" Rubber mud flaps

24" Stinger at rear with lockable lid


1/2" Sight gauge at rear

Options:

Hot shift PTO for Allison Transmission Upgrade to CLA – Val Air Valves

1/4" Thick overlay "Belly" at lower level of standard 3/16" thick tank which significantly slows "rot-out" of bottom of tank

6" Diameter gravity water tank dump valve at rear bottom of tank with "Fan Nozzle".







WT-4000

4000 Gallons

Standard Specifications

Standard

Features:

Chelsea Air Shift PTO for manual transmission 4" x 3" Berkeley water pump, (750 GPM)

Spicer PTO Driveline

4" x 4" Water Manifold

3" Standard Air Valves

3" Slip on splash spray heads for front

3" x 53" Front spray bar with mounting brackets

3" Slip on splash spray heads for rear

3" x 53" Rear spray bar with mounting brackets

One control box inside cab with (6) air switches and

3" Adjustable S/S spray with VIC clamps

3" Adjustable C/S spray with VIC clamps


Options:

Hot shift PTO for Allison Transmission Upgrade to CLA – Val Air Valves

1/4" Thick overlay "Belly" at lower level of standard 3/16" thick tank, which significantly slows "rot-out" of bottom of tank

6" Diameter gravity water tank dump valve at rear bottom of tank with "Fan Nozzle".

Air control for PTO
OEM tail stop and turn rear lights
2-1/2" Red marker lights seal beam
2-1/2" Amber marker lights seal beam
36" Rubber mud flaps
24" Stinger at rear with lockable lid
1/2" Sight gauge at rear
1-1/2" Gate valve at manifold
3/4" Gate valve at manifold
4" Water tank mounts with
3/4" bolts
One set of water tank fenders with
hooks for hoses





SCELZI Enterprises EQUIPMENT

WHOLESALE TRUCK PARTS OUTLET

2645 South Cherry Street • Fresno • CA • 93706

Call Toll-Free 1-800-858-2883

Local (559) 237-5541



The Highest Quality parts for your Scelzi or non-Scelzi truck body at great prices. Buy from the Body Parts Experts!



Parts and Optional Equipment

For ALL Bodies

Backpacks	page 47
Beacon Plate/Pedestal	page 48
Cranes	page 51
Hitches	page 48
Ladder Racks	page 51
Lift Gates	page 51
Locking Systems	page 50
Polyurea Lining	page 47
Spare Tire Carrier	page 48
Tool Boxes /Drawers	page 46
Vise Stands	page 49
Water Cask Holders	page 48

For SERVICE Bodies

Roller Tops	page 52
Trailer Plugs	page 52



Tool Boxes

Tooboxes are available in Black or White as standard

Closed Top

Scelzi Top Mount, Closed Top model

LONG	HIGH	DEEP
72"	18"	18"
96"	18"	18"
108"	18"	18"



Open Top

Scelzi Top Mount, Open Top model

LONG	HIGH	DEEP
48"	18"	18"
72"	18"	18"
96"	18"	18"
108"	18"	18"





Underbody

LONG	HIGH	DEEP
24"	18"	18"
30"	18"	18"
36"	18"	18"
40"	18"	18"
48"	18"	18"
60"	18"	18"







Modular Tool Drawer Systems





NEW Design for 2019

- Just Press Down to pull out the Best gets even BETTER
- Available in 3" through 8" High Heavy Duty Drawers
- 250# Test
- · Galvanized Steel only
- Drawer Dividers sold separately



Back Packs








Scelzi Tool Box Roller Trays

Polyurea Lining

Non-slip surfacing for beds and bumpers







Water Cask Holders

Standard Water Cask Holder With Strap PART NO SE190015





Ring Style Water Cask Holder PART NO SE190014






Spare Tire Carriers

PART #SE143000 **UNDERBODY SPARE TIRE CARRIER**


-FORD F-350-550 DRW, DODGE 3500-5500 DRW -CAN BE USED ON FREIGHTLINER AND INTERNATIONAL LOW PROFILE MODELS (MAXIMUM TIRE DIAMETER 34")



NOTE: MUST BE LOCATED ON DRIVER SIDE WILL NOT WORK WITH MIDSHIP OR DUAL TANK CONFIGURATIONS


PART #SE143001 UNDERBODY SPARE TIRE CARRIER

FOR CLASS 5-7 CONVENTIONAL CAB (IE FREIGHTLINER M2) (11R 22.5 TIRES) (MAXIMUM TIRE DIÁMETER 42 1/2")




NOTE: NOT FOR USE ON VEHICLES WITH 12R22.5 TIRES TIRE SIZE MUST BE NOTED ON WORK ORDER

UNDERBODY SPARE TIRE CARRIER -DRIVER SIDE APPLICATION SHOWN



VERTICAL SPARE TIRE HOLDER



Beacon Plates and Pedestals


SE091020


BEACON PLATE, 9" X 9"

SE091021 BEACON PLATE, 7" X 7"

MINI LIGHTBAR PLATE, 9" X 18"

SE091022








BEACON PEDESTAL, 7" X 7" PLATE, FOR 38" TALL BODY

SE192034

Y HEIGHT	PART NUMBER
ALL BODY	SE192033
ALL BODY	SE192034
ALL BODY	SE192035
ALL BODY	SE192037



SE192031

BEACON PEDESTAL, 9" X 9" PLATE, FOR 38" TALL BODY

PART NUMBER
SE192030
SE192031
SE192032
SE192036

Hitches



Receiver Hitches

CLASS 4 - 10,000# Capacity, 1000# Tongue Weight



CLASS 5 - 18,000# Capacity, 1,800# Tongue Weight






Dump Hitches

CLASS 4 - 10,000# Capacity, 1000# **Tongue Weight**

CLASS 5 - 18,000# Capacity, 1,800# **Tongue Weight**



Vise Stands




Bolt On Stainless Steel Panel

SSV-128



PIPE HOLDERS




Standard Vise Stand Non-Removeable 9" x 9" Plate

SVS-121



Pipe Holder Between Cab and Body

PH-124



Lockable Vise Stand With Removeable Plates


- •Small BC210 or
- •Large BC410 (PG & E style)

LVSR-210 LVSR-410



Front Bumper Pipe Holder WITH Bucket

BPH-126



Swivel Base Vise Stand With Removeable Plates


- •Small BC210 or
- •Large BC410

SWV-127



Front Bumper Pipe Holder Without Bucket

BPH-125



Vise Stand with Removeable 9" x 9" Plate


VSR-123











Weld Vise Stand On Work Deck or Bumper Non-powder coated

VSW-122





Electronic Locking Systems

Scelzi Electronic Locking System®

Covered under patent #8,869,576 B2

Rotary electronic master lock system provides additional protection for service body compartments in addition to the Scelzi locking T-handles. The Scelzi Electronic Locking System® can be used with an auxiliary remote or can be tied in to the factory electronic door locking system if the chassis is equipped with the automatic door lock option. The system utilizes an electronic actuator to activate a rotating rod to positively lock a cam system to the door. This provides a remote system to enhance the body security without the addition of parts protruding to the outside of the body.

The system is available on all standard service bodies -- contact your factory representative for availability on other body styles.

For both Electronic and Manual systems, a rotating rod is activated to lock a cam system to the door.



Can be programmed into the truck's cab security key for ease of use.







Electronic actuator. When activated the patented locking system rotates the rod and cam system

Heavy duty cam and hook







Scelzi Manual Master Lock System*

Manual master lock system provides an independent locking system to increase vehicle security above the level offered by traditional compartment locks. The system utilizes a positive lock cam system controlled by a stainless steel handle located on the rear of each service body side pack. The handle is then secured in the locked position with a padlock. All hardware provided is stainless steel or zinc coated for enhanced corrosion protection.

The system is available on all standard service bodies, for applications relating to custom and crane bodies contact your factory representative.

* Propietary Scelzi Design







When manually activated the locking system rotates the rod and cam system that hooks into the door





Ladder Racks





Cranes and Lift Gates



Miscellaneous Holders and Accessories





Cone Holders



Tamper Holder



Steps and Handles

Parts and Optional Equipment - Service Bodies




Roller Tops

3 PC TELESCOPING ROLLER TOP


#3

#2

FOLD UP BACK DOOR



Roller Tops come with stainless steel track and rollers.



3-PIECE ROLLER TOP Available for bodies of 98", 108", 132" or 156" long

Comes standard with fold up back door that includes overlapping tailgate for locking. Can be raised from 3" up to 14" tall and can be ordered with barn doors.





Trailer Plugs



No. 11-410 4 Pin - Cole Hersey Chrome



No. 12063 7 Pin - Round Plug



No. 1235 6 Pin - Cole Hersey Plug



No. 12707 7 Pin - Flat RV Plug



Scelzi Classics

These truck bodies are still available with Extended Lead Times

13 ft A-Frame

(108 CA)

15 ft A-Frame

(120 CA)





A 13 ft or 15 ft long A-Frame body with crane. Diamond plate 3/16" steel, cab high headboard, tubing for side racks, custom tail plate with two vise racks, diamond plate steel covering winch, kill switch, back up alarm, pintle hitch, multiple tool boxes.

Contour Service Bodies



Premium Quality Service Bodies with unique contoured edges and corners. Contour ladder rack, conduit boxes open on top, standard vise stand and receiver hitch. The top-of-the-line Service Body.

Model	Length	CA	Compartment Height	Rear Wheel
CSB-98	98 inches	56	38 "	Single
CSB-108	108 inches	60	38"	Dual





CRUISER Body

11 ft long

(108 CA)





Stylish 11 foot long (132 inches) Cruiser Body with hand rail and 5th wheel hitch under removeable steel cover in aluminum bed.


Scelzi Classics Still Available For Quote - Contact Us

Articulating Telescoping Aerial Device (bucket lift)

UTLI46A Specifications



Pictured above is ATA Device on Scelzi 8 x 14 flatbed, WO #108160. Body has PTO and pump for boom lift, back up alarm, basket capacity of 400 lbs, and 540 degree boom rotation with mechanical stop. Meets or exceeds ANSI A92.2-2001 and OSHA requirements




CRANE BODIES (non-Western)

See page 31 for Western Crane Bodies




Premium Quality Crane bodies engineered for cranes with 5,000 lb lifting capacity and higher.

Model	Length	CA	Body Width
CB-132	132 inches	84	94 or 96"
CB-156	156 inches	108	96"
CB-166	166 inches	120	96"




- 3/16" Thick Head Board
- 14 Gauge Steel Shell











Custom Bodies









Custom Roadside Flatbed with Impact Attenuator

Body Dimensions: 8 ft Wide x 16 ft Long

120 CA

Color: Custom

Side Racks: 10" tall side racks with

stainless steel stakes, hardwood slats, and western gate latches

Flooring: 3/16" diamond plate floor



Photos here are examples only and do not include the full range of custom body options available for quote

Please Note: Custom Bodies Require Extended Lead Times



SCELZI Enterprises Incorporated Custom Truck Body Manufacturing

Building An American Legacy One Truck Body At A Time









www.seinc.com





Pool Locations

Fresno

Scelzi Enterprises, Inc. Corporate Headquarters 2286 East Date Avenue Fresno, CA. 93706 Office: (559) 237-5541 Toll Free: (800) 858-2883 Fax: (559) 237-5554

Denver

Scelzi Enterprises, Inc. 203 5th Avenue La Salle, CO 80645 Office: (559) 237-5541 Toll Free: (800) 858-2883 Fax: (559) 496-3202

Riverside

Scelzi Enterprises, Inc. 2693 Rubidoux Blvd. Riverside, CA 92509 Office: (559) 237-5541 Toll Free: (800) 858-2883 Fax: (559) 496-3202

Oregon

PMI Truck Bodies, Inc. 255 Queen Avenue, SE Albany, OR 97322-3305 Toll Free: (888) 747-3357

Washington

PMI Truck Bodies, Inc. 2219 112th Street East Tacoma, WA 98445 Office: (253) 539-3339 Fax: (253) 539-3335