





# **TABLE OF CONTENTS**

BUSS INNUVATIONS	HEAVY-DUTY STRAIGHT-BLADE 22
DXT	HEAVY-DUTY DXT
XT	FORGE® SPREADERS 24
HTX	VBX SPREADERS 26
DRAG PRO®	TGS SPREADERS 28
DRAG PRO® 180Z	SPREADER MATERIAL GUIDE 30
EXT	GENUINE ICE CONTROL
SUPER-DUTY FULL-TRIP 18	ACCESSORIES
SUPER-DUTY TRIP-EDGE 20	



# TAKE THE STING OUT OF THE STORM

At BOSS, we're committed to providing snow and ice professionals with the tools they need to take on winter. We provide only the best-of-the-best, so you can RESTORE ORDER and keep your community moving.

We're BOSS and we're built to BACK YOU UP.

#### TWO-YEAR LIMITED WARRANTY

All BDSS snowplows and equipment are guaranteed to be free from defects in material and workmanship for two full years from the date of purchase. Stop by any authorized BOSS Dealer to receive complete details on our two-year parts and labor warranty. Please visit bossplow.com for more details.

#### LEGAL STATEMENT

Vehicles intended to be equipped with a spreader and/or snowplow must comply with the vehicle manufacturers' specifications for equipment application. BOSS Products reserves the right under its product improvement policy to change construction or design details and furnish equipment when so altered without reference to illustrations or specifications used herein. BOSS Products may be protected by one or more patents; please see bossplow.com for more details.

To comply with federal regulations and to ensure a safe vehicle, do not exceed the front gross axle weight rating (FGAWR), rear gross axle weight rating (RGAWR), gross vehicle weight rating (GVWR) or maximum vehicle payload ratings at any time. Combinations of equipment such as snowplows and spreaders, density of material being spread and the number of vehicle occupants should be taken into consideration. Ensuring these limitations are not exceeded may require weighing the vehicle and adding ballast as necessary. For receiver hitch-mounted products, do not exceed hitch rating at any time. Completed vehicle must not exceed front GAWR or GVWR.

Enhance the power, performance and durability of your BOSS product with Genuine BOSS Parts & Accessories.

Ask your dealer for information or shop online at bossplow.com



BOSS Products, a division of The Toro Company, reserves the right under its product improvement policy to change construction or design details and furnish equipment when so altered without reference to illustrations or specifications used herein.

\*All images shown may include standard/optional equipment. Please consult your local BOSS Dealer for more information.



contractors while increasing productivity on any job site.





# STANDARD LED TECHNOLOGY

Plow in a whole new light with best-inclass DOT-compliant, 100% LED lighting, Smartlight™ 3 (SL3) integrated with Ice Shield Technology™ to prevent snow and ice build-up on the lens. Comes standard on all BOSS truck plows. (Excludes DRAG PRO®.)





### FLEET-FLEXIBLE FRONT-MOUNTED UNDERCARRIAGE

Ouickly and easily swap between snowplows in your BOSS fleet. For complete details see your BOSS Dealer.



### **ATTACH WITH EASE**

Attach your plow in just three easy steps with the easy-to-use SmartHitch® 2 attachment system. (Excludes DRAG PRO®.)





### **SUPERIOR HAND CONTROLS**

Our high-tech, ergonomic controls feature large, backlit buttons for ease of use.





### **D-FORCE®**

Enhance your backdrag performance with D-Force®. D-Force® maintains consistent hydraulic down force through the use of a hydraulic accumulator. Available for select straight-blade and DXT truck plows. (Excludes XT, EXT, Heavy-Duty, Trip-Edge and DRAG PRO® snowplows.)





### **SMARTSHIELD®**

Delivers superior corrosion protection and a long-lasting, high-gloss shine.





### **SIMPLE HYDRAULICS**

At the heart of every BOSS snowplow is a simple, high-performance hydraulic package with fewer valves and coils than the competition. It is so advanced, it delivers unmatched speed and reliability.



### **BLADE STRENGTH**

All BOSS snowplows use a diagonal crossbracing design, which helps to reinforce the blade structure, reducing blade twisting and increasing overall strength.



STEEL 8'2", 9'2"

POLY 8'2", 9'2"

STAINLESS STEEL 8'2", 9'2"











# **STANDARD FEATURES**

**Patented Dual-Trip Design** enhances plow protection when striking hidden obstacles, no matter your plow's position.

SmartLight™ 3 LED Headlight System uses DOT-compliant 100% LED lights and Ice Shield Technology™ to prevent snow and ice build-up.

1/2" x 6" Long-Lasting, Durable Base Angle provides extended wear resistance with built-in curb guards and patented snow catcher. The base angle serves as the plow's cutting edge until a certain wear point.

**Optimized Hydraulics** streamline function and reliability of V-plows using fewer valves and hoses and fewer cycles on your electrical system.

**Patented Snow Catcher** catches snow at the plow's pivot point, so no snow lines are left behind.

**Reinforced Moldboard** increases blade rigidity for increased durability.



SmartLock® Cylinders lock blades in place when backdragging.

- D-Force®
- Plow Wings (8'2" Model Only)
- Cast-Iron Plow Shoes
- Snow Deflector
- Caster Wheels







STEEL 8'2", 9'2"

POLY 8'2", 9'2"

STAINLESS STEEL 8'2", 9'2"











# **STANDARD FEATURES**

Full Moldboard Trip Design helps prevent plow damage when an obstacle is encountered.

SmartLight™ 3 LED Headlight System uses DOT-compliant 100% LED lights and Ice Shield Technology™ to prevent snow and ice build-up.

1/2" x 6" Cutting Edge built using a wear plate provides extended wear resistance and comes with built-in curb guards and patented snow catcher.

Patented Snow Catcher catches snow at the plow's pivot point, leaving no snow lines behind.

**Reinforced Moldboard** increases blade rigidity for increased durability.

**Heavy-Duty Push Frame and Center Section** provide additional strength and reliability.

SmartLock® Cylinders lock blades in place when backdragging.

**Optimized Hydraulics** streamline function and reliability of V-plows using fewer valves and hoses and fewer cycles on your electrical system.





- Plow Wings
- Cast-Iron Plow Shoes
- Urethane Cutting Edge
- Snow Deflector
- Caster Wheels
- Backdrag Edge







STEEL V-Plow 7'6"

STEEL Straight-Blade 7', 7'6"

POLY Straight-Blade 7', 7'6"

STAINLESS STEEL Straight-Blade 7', 7'6"











# **STANDARD FEATURES**

**Full Moldboard Trip Design** helps prevent plow damage when an obstacle is encountered.

SmartLight™ 3 LED Headlight System uses DOT-compliant 100% LED lights and Ice Shield Technology™ to prevent snow and ice build-up.

Strong, Durable Push Frame adds strength and reliability.

**Optimized Hydraulic** streamline function and reliability of V-plows using fewer valves and hoses and fewer cycles on your electrical system.

**SmartLock® Cylinders** lock blades in place when backdragging (HTX V-plow only).





- D-Force® (Straight-Blade Only)
- Cast-Iron Plow Shoes
- Urethane Cutting Edge

- Snow Deflector
- Caster Wheels
- Backdrag Edge







8' Fixed Wing

8'-12' Hydraulic Folding Wing

8'-16' Hydraulic Folding Wing







# STANDARD FEATURES

**Hydraulic Folding Wing Models** expand plow width from 8' to 12' or 8' to 16'.

**Independent Wing Control** is featured on expanding wing models with hydraulic relief protection.

**Low-Profile Coupler Design** allows for unobstructed tailgate use and visibility.

**Easy Attach/Detach** saves time for quick operations on 4WD, 3/4-ton and 1-ton trucks.


**High-Performance Hydraulic Package** delivers reliability and speed.

**Hydraulic Flow Control Valve** allows adjustment of the raise/lower speed.


**Standard Steel Main Cutting Edge and Urethane Wing Edges** are included. (Excludes wings.)

**Molded-In Urethane Snow Catchers** on plow wings ensure no snow is left behind when plowing.





Use only Genuine BOSS Parts & Accessories to enhance the performance and extend the life of your BOSS DRAG PRO®. Ask your dealer about optional accessories or shop online at bossplow.com.







- Rubber Edge
- Work Light Kit
- Taillight Kit

DRAG PRO® 8'-12' Retracted







8'-16' Hydraulic Folding Wing







# STANDARD FEATURES

Quick Hitch System allows the operator to quickly and easily attach and detach the plow.

**UHMW Cutting Edge and Curb Guards** for superior scraping on any surface. Improves blade life and provides added protection.

Dual, Rear-Facing LED Lights increase visibility when operating in reverse.

Hydraulics and Linkage Inside the Blade allow operator to back closer to structures when backdragging.

**Quick and Easy Control Panel Access** with flexible draw latch for access to hydraulics.

Reduce Installation Time and Labor with no undercarriage to install.

2-Point Attachment System designed for 3/4- and 1-ton trucks with access to a universal fifth-wheel rail system and a receiver hitch. Installation of a standard fifth-wheel rail kit, available at most truck equipment retailers, is required. With both points of attachment—fifth-wheel rail and receiver hitch—engaged, the DRAG PRO® 180Z offers advanced stability, rigidity and reliability for performance.



**FORWARD** 

FORWARD + REVERSE





**STEEL** 8'-10'

# **STANDARD FEATURES**

**Expandable, Fully Hydraulic Pitched-Forward Wings** expand from 8' to 10' to cover more ground.

**Smartlight**<sup>TM</sup> **3 LED Headlight System** uses DOT-compliant 100% LED lights and Ice Shield Technology<sup>TM</sup> to prevent snow and ice build-up.

**Reinforced Moldboard** increases blade rigidity for increased durability.

**Heavy-Duty Push Frame and Attachment Bar** add strength and increase performance by spreading loads out over a wider area.

**Open Plow Back Design** prevents snow and ice build-up to maintain optimal wing retraction.











17



• BOSS Joystick Controller

Caster Wheel Kit

Independent

wing extension

8' retracted

10' expanded





**SUPER-DUTY STEEL** 7'6", 8', 8'6", 9' **SUPER-DUTY POLY** 7'6", 8'











# **STANDARD FEATURES**

**Full Moldboard Trip Design** helps prevent plow damage when an obstacle is encountered.

SmartLight™ 3 LED Headlight System uses DOT-compliant 100% LED lights and Ice Shield Technology™ to prevent snow and ice build-up.

**Cast-Iron Plow Shoes** extend the life of the cutting edge and protect the plowing surface.

Blade Shock Absorber stabilizes and cushions the trip action.

**Heavy-Duty Push Frame and Attachment Bar** add strength and increased performance by spreading loads out over a wider area.

**Reinforced Moldboard** increases blade rigidity for increased durability.





use of a hydraulic accumulator to improve scraping performance while backdragging. D-Force® is an optional accessory on new truck plow purchases.

- D-Force®
- Plow Wings
- Urethane Cutting Edge
- Snow Deflector
- Caster Wheels
- Backdrag Edge
- Curb Guards







**STEEL** 7'6", 8', 9' **STAINLESS STEEL** 8', 9'











# STANDARD FEATURES

**Trip-Edge Design** helps prevent plow damage when an obstacle is encountered.

**Smartlight<sup>TM</sup> 3 LED Headlight System** uses DOT-compliant 100% LED lights and Ice Shield Technology<sup>TM</sup> to prevent snow and ice build-up.

**Adjustable Trip Springs** allow customization of the trip spring tension.

**Cast-Iron Plow Shoes** extend the life of the cutting edge and protect the plowing surface.

**Reinforced Moldboard** increases blade rigidity for increased durability.

**Heavy-Duty Push Frame and Attachment Bar** add strength and increase performance by spreading loads out over a wider area.





### **Adjustable Trip Springs**

Adjustable BOSS trip springs let the operator adjust the trip-edge tension according to the job at hand.

- Plow Wings
- Curb Guards
- Snow Deflector
- Caster Wheel Kit









STEEL HEAVY-DUTY Straight-Blade 9', 10'











# **STANDARD FEATURES**

**Full Moldboard Trip Design** helps prevent plow damage when an obstacle is encountered.

Smartlight<sup>TM</sup> 3 LED Headlight System uses DOT-compliant 100% LED lights and Ice Shield Technology<sup>TM</sup> to prevent snow and ice build-up.

**Dual Shock Absorbers** stabilize and cushion the trip action.

**Heavy-Duty Push Frame and Attachment Bar** add strength and reliability.

**Reinforced Moldboard** increases blade rigidity for increased durability.

**Cast-Iron Plow Shoes** extend the life of the cutting edge (standard on Heavy-Duty; optional on 10' DXT).



10' Heavy-Duty Straight-Blade Steel

# **OPTIONAL ACCESSORIES**

- Urethane Cutting Edge
- Snow Deflector

• Curb Guards





STEEL DXT 10'











# **STANDARD FEATURES**

**Patented Dual-Trip Design** enhances plow protection when striking hidden obstacles.

SmartLight<sup>™</sup> 3 LED Headlight System uses DOT-compliant 100% LED lights and Ice Shield Technology<sup>™</sup> to prevent snow and ice build-up.

1/2" x 6" Long-Lasting, Durable Base Angle provides extended wear resistance with built-in curb guards and patented snow catcher.

**Heavy-Duty Push Frame and Attachment Bar** add strength and reliability.

**Reinforced Moldboard** increases blade rigidity for increased durability.



- Cast-Iron Plow Shoes
- Caster Wheel Kit
- Snow Deflector





**STAINLESS** 1.0, 1.5, 2.0 Long Bed Available with Pintle or Auger.

# STANDARD FEATURES

Material Feed System features a heavy-duty pintle chain or powder-coated auger for long life and durability.

**Stainless Steel Hopper** is built to outlast the elements and is available in 1.0, 1.5 and 2.0 cubic yard capacities.

**Dual Variable Speed Controller** is equipped with overload protection and is backlit for clear visibility and ease of use. Auto-reverse is also available on the auger only models.

**14.5" Diameter Urethane Spinner** is durable and corrosion-resistant and ensures consistent distribution.

**Enclosed Spinner Motor** is weather- and dust-resistant to ensure performance, durability and reliability.

**Vibrator** reduces material bridging for ease of operation (standard for auger; optional for pintle).

**Inverted V-Baffle** reduces material build-up for optimal spreading efficiency (standard for auger; available as an accessory for pintle).

**Chain Cleaning Brush** removes excess material from chain on every pass (pintle chain only).

**Full-Length Slide-Out Tray** captures falling deicing material, keeping it away from truck bed, preventing corrosion (pintle chain only).



### **Hopper Spill Guards**

Protect the bed of the truck from salt spills when filling FORGE® 1.0 and 1.5 spreaders. Spill guards widen the top width of the spreader, making loading with loader buckets easier. (Excludes FORGE® 2.0 Long Bed.)

# **OPTIONAL ACCESSORIES**

- Backup Camera
- Spill Guards (Excludes 2.0 Long Bed)
- Halogen and LED Light Kits
- Tarp

- Extension Kit
- Vibrator Kit\*
- Inverted V\*
- Pre-Wet\*\*

\*\*VBX display needed.

\*Standard on auger; optional on pintle.

# HOPPER EXTENSION KIT

Add additional capacity to your FORGE® spreader by adding a FORGE® Extension Kit. Increase material capacity by a full ½ yard by adding these easy-to-install Stainless Steel Extensions.

to pre-wet solid deicing material, improving material performance.







**POLY** VBX 6500 VBX 8000 VBX 9000

Available with Pintle or Auger.

# **STANDARD FEATURES**

Material Feed System features a heavy-duty pintle chain or powder-coated auger for long life and durability.

**Poly Hopper** is built to outlast the elements.

**Dual Variable Speed Controller** is equipped with auto-reverse (auger only) and overload protection.


**Full-Length Slide-Out Tray** captures falling deicing material, keeping it away from truck bed, preventing corrosion (pintle chain only).

LCD Screen In-Cab Controller is backlit for clear visibility and ease of use.

**14.5" Diameter Urethane Spinner** is durable and corrosion-resistant and ensures consistent distribution.

**Enclosed Spinner Motor** is weather- and dust-resistant to ensure performance, durability and reliability.

**Tarp With Integrated Tie-Downs** protects spreading material from the elements.



Inverted V-Baffle reduces material build-up for optimal spreading efficiency (standard for auger; available as an accessory for pintle).


Chain Cleaning Brush removes excess material from chain on every pass (pintle chain only).

Optional pre-wet allows contractors to pre-wet solid deicing material, improving material performance.

- Backup Camera
- Pre-Wet
- LED Light Upgrade Kit
  - \*Standard on auger; optional on pintle.
- Inverted V\*
- Vibrator Kit\*







POLY TGS 300 TGS 600 TGS 800 2-STAGE TGS 1100

# **STANDARD FEATURES**

**Adjustable Feed Gate** allows you to adjust the material discharge amount. (Optional on TGS 300. TGS 300 includes Material Saver System.)

**Poly Adjustable Material Deflector** allows you to adjust the material discharge width and direction pattern.

**12" Diameter Urethane Spinner** is durable and corrosion-resistant and ensures consistent distribution.

**Enclosed 12-Volt Electric High-Torque Spinner Motor** is weather- and dust-resistant to ensure performance, durability and reliability.

Low-Profile Poly Hopper Design provides better visibility.

**Variable Speed Control** with LED digital display is equipped with blast feature and overload protection.

**Choose Your Attachment System** with a slide-in system or the RT3 system. (RT3 is not available on TGS 300.)

 $\textbf{Solid Poly Hopper Cover} \ protects \ against \ weather \ and \ is \ made \ to \ last.$ 

**Stabilizer Arms and Tie-Down Straps** minimize any side-to-side movement. (Stabilizer arms are not available on TGS 300.)

**Top Screen With Bag Splitter** easily opens bags and filters deicing material. (Bag splitter is not included on TGS 300.)





with 12 volts of high-torque electric power (TGS 800 only).

Swing-Away Spinner Assembly allows for quick removal of leftover material (TGS 800 only).

Material Saver System eliminates material flow of fine deicers when spreader is in transport (TGS 300 only).

you to easily attach and detach your spreader. (Not available on TGS 300.)

# **OPTIONAL ACCESSORIES**

- TGS Vibrator Kit\*
- Material Saver System\*\*
- RT3 Attachment System\*

\*Excludes TGS 300 | \*\*Standard on TGS 300








**DOWNLOAD** 





The selection of proper deicing materials can be complex and varies by personal preference, experience and environmental concerns. All factors should be considered before making your selection.



# GENUINE TRUCK EQUIPMENT PARTS & ACCESSORIES



### **TRUCK OPTIONS**

### **D-FORCE®**



Improve backdragging performance by adding D-Force® to your new Super-Duty and HTX straight-blade plow, or your new 8'2" and 9'2" DXT V-plow. D-Force® improves scraping performance while backdragging by maintaining a consistent hydraulic down force powered by a hydraulic accumulator. D-Force® is an optional accessory on new truck plow purchases and must be added at the time of purchase. D-Force® includes D-Force®-specific hydraulic package and controller. Retrofit kits are not available. (Excludes EXT, HTX-V, XT, Heavy-Duty, Trip-Edge and DRAG PRO® plows.)

### **BLADE PERFORMANCE**

### **BACKDRAG EDGE**

Enhance the use of D-Force® and improve scraping performance when backdragging. Available accessory on select straight-blade and V-plow models. (Excludes 9' and 10' Heavy-Duty, EXT, Trip-Edge and DXT plows.)

### **CURB GUARDS**

Protect the edges of your plow with these long-lasting, high-impact curb guards. Fits select straight-blade snowplow models. (Excludes HTX, EXT and DRAG PRO $^{\circ}$ .)

### **URETHANE CUTTING EDGES**



Genuine BOSS urethane cutting edges are great for protecting surfaces and cover a wide range of straight-blade and V-plow models. Straight-blade edges feature a BOSS logo wear indicator. V-blade cutting edges feature built-in curb guards and our patented snow catcher. (Excludes Trip-Edge and DXT.)

### DRAG PRO® RUBBER EDGE KIT

Improve scraping performance and protect surfaces with the DRAG  $PRO^{\circ}$  Rubber Edge Kit.

### RUBBER SNOW DEFLECTOR

Keep snow from blowing onto your windshield while increasing visibility and safety with a rubber snow deflector, specifically designed for BOSS snowplows.

### **PLOW WINGS**

Increase your blade width by a full 22" and decrease your plowing time with optional plow wings. Attach and detach within seconds. (Excludes HTX, DRAG PRO®, 10' DXT and Heavy-Duty plows.) Available in poly and stainless steel.

### **LIGHTING OPTIONS**

### SL3 WITH ICE SHIELD TECHNOLOGY™ UPGRADE KITS

SL3 headlights with Ice Shield Technology™ are standard on new plow purchases. Upgrade your existing SmartLight™ 1 or SmartLight™ 2 halogen headlights to the 100% LED SL3 headlights with Ice Shield Technology™ for best-in-class lighting. In addition to Ice Shield Technology™, BOSS SL3 headlights offer a precision light pattern for improved driver visibility. LED lights also have a longer life expectancy and are ultra-efficient compared to halogen systems.

### **CONTROLLERS**

### SMARTTOUCH® 2 CONTROL



Our high-tech SmartTouch® 2 ergonomic control features large, backlit buttons for ease of use on a straight-blade, V-plow, DRAG PRO® and EXT.

### **CONTROL MOUNTING OPTIONS**

Pedestal mount or dash mount is available for the BOSS SmartTouch® 2 handheld controller.

### **JOYSTICK CONTROL**

Our BOSS joystick controller option is now available for EXT plows. Joystick controllers offer the versatility of right- or left-hand adjustment and are also available for straight-blade and V-blade plows.

### PLOW ENHANCEMENTS

### **CAST-IRON PLOW SHOES**

These ultra-rugged, cast-iron shoes deliver extended wear resistance compared to conventional steel shoes.



### REPLACEMENT BUMPER TRIM KIT

Eliminate the need to cut or modify a portion of the OEM bumper to access the push beam hooks. The replacement bumper trim kit uses factory mounting holes, giving the plow vehicle an attractive, finished OEM look when installed. If the truck is sold without the plow, the original bumper piece can be reinstalled to look like new. (Available for certain Chevy/GMC® models only.)

### **CASTER WHEELS**

Caster wheels are ideal for moving your plow around the garage or service bay. BOSS caster kits utilize existing shoe holders on the blade, making moving your plow a breeze. These heavy-duty



wheels feature steel ball bearings for smooth movement and long-lasting life. Separate kits are available for straight-blades and V-plows. (Excludes Trip-Edge straight-blade, 10' DXT and Heavy-Duty straight-blade plows.

### **MAINTENANCE**

### **TOUCH-UP PAINT**

Cover chips and scrapes the professional way with BOSS touch-up paint.



# GENUINE ICE CONTROL ACCESSORIES



### HOPPER SPREADERS

### **PRE-WET SYSTEM**

Equipped with a 60-gallon tank, the pre-wet system allows contractors to pre-wet solid deicing materials as they are distributed. Available on new VBX and FORGE® spreaders. Mounting bracket included. (Excludes VBX 3000.)





### (x)

### **INVERTED V**

Control the weight and flow of materials onto the pintle chain with this optional accessory. Inverted V comes standard on auger spreaders.

### **BACKUP CAMERA**



The spreader backup camera has a 150° viewing angle, 20G vibration rating and IP68 waterproof rating. It is equipped with infrared lights that allow for 50 feet of vision at night as well as a 7" LCD color monitor with backlit buttons.

### **HOPPER VIBRATOR KIT**

Improve material flow and handling with the addition of the Hopper Spreader Vibrator Kit. This kit supports both the VBX and FORGE® model spreaders (standard for auger; optional for pintle).

### **TGS**

### TGS VIBRATOR KIT

Improve material flow and handling with the TGS Vibrator Kit. This kit reduces material flow issues and increases your efficiency and profitability. (Not recommended for TGS 300.)

### MATERIAL SAVER SYSTEM

Eliminate material flow when the spreader is not in use. Intended for fine deicers that are prone to leaking. (Standard on TGS 300; optional on TGS 600 and TGS 1100. Not available on TGS 800.)

### **FORGE®**

### **TARP**

Protect spreading material from the elements with a vinyl-coated polyester tarp and bungee tie-downs. (Optional on FORGE® models.)

### **WORK LIGHT KIT**

Increase visibility of the spreader when plowing at night. The FORGE® work light kit includes two headlights and all hardware and wiring to activate lights from inside the cab or at the rear of the spreader. (LED kit available as well as halogen.)

### **HOPPER SPILL GUARDS**

Protect the bed of the truck from salt spills when filling FORGE® 1.0 and 1.5 spreaders. Spill guards widen the top width of the spreader, making loading with loader buckets easier. (Excludes FORGE® 2.0 Long Bed.)

### **HOPPER EXTENSION KIT**

Add additional capacity to your FORGE® spreader by adding a FORGE® Extension Kit. Increase material capacity by a full ½ yard by adding these easy-to-install Stainless Steel Extensions.

### **TOOLS**

### **SCOOP AND PUSHER SHOVELS**

BOSS has joined forces with the leaders in highperformance, contractor-grade snow shovels! These tough, durable, high-performance shovels are built for the abuse of the season with premium blade material for unmatched scraping ability.



### 5-GALLON BUCKETS AND LIDS

Be ready for the worst weather with 5-gallon buckets that allow you to carry additional supplies to any job site. (Sold separately.)

### **WBX SERIES: WALK-BEHIND SPREADERS**

Simply and efficiently spread up to 100 pounds of material with these professional-grade BOSS Walk-Behind Spreaders. Side and front adjustable baffles and weather cover are included.











# SEE HOW BOSS CONTINUES TO BACK YOU UP. GET MORE INFO, WATCH VIDEOS, FIND A DEALER OR CHAT LIVE.



With quality and reliability at the forefront, BOSS Genuine Parts are designed, built and tested to fit your BOSS product.



SnowCare for Troops is a nationwide outreach program that performs free snow removal for active military families.



Exclusive to BOSS Owners, joining the community gives you a profile page, a free gift and access to special offers and information on BOSS products and services.

Ask your dealer or visit bossplow.com to explore the complete lineup of BOSS products, including

Truck Equipment, Compact Vehicle Equipment, Heavy Equipment, Ice Control Equipment, Snowrator®

PATENTS: www.ttcopats.com ©2022 BOSS Products. All Rights Reserved. Printed in U.S.A. Form #SLS-TRK02022

GMC, Chevy and Chevy logo are registered trademarks of General Motors Corporation. Ford is a registered trademark of Ford Motor Corporation. Dodge is a registered trademark of FCA US LLC. The "in" logo is a registered trademark/service mark of Facebook, Inc. The Instagram logo is a registered service mark of Google LLC. The "in" logo is a registered trademark/service mark of Fwitter logo is a registered trademark/service mark of Google LLC. The "in" logo is a registered service mark of LinkedIn Corporation. The Blogger logo is a registered service mark of Google LLC. The Omnia Partners logo is a registered service mark of Omnia Partners, Inc. The Sourcewell logo is a service mark of National Joint Power Alliance. The Advantage International Registra logo is a trademark of Advantage International Registra logo is a trademark of Advantage International Registra logo. All other trademarks belong to BOSS Snowplow.





and Accessories. Ask your local dealer about financing options!



